



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	21.01.2022; 01:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	20.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	20.01.2022; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/235438	2137301106599	Shekh Sarifullah	32	M	Nasal Swab	21.01.2022	Negative	9090305467	Vati Road Plant Site, Rourkela
2	Cov/235443	2137301106623	Alexan Bag	45	M	Nasal Swab	21.01.2022	Negative	8320048868	Simdega J H Rourkela
3	Cov/235444	2137301106794	Md Mukim	53	M	Nasal Swab	21.01.2022	Negative	9668162322	Bonei Rourkela Sundargarh
4	Cov/235445	2137301106841	Md Abbas	70	M	Nasal Swab	21.01.2022	Negative	7735417985	Plant Site Rourkela
5	Cov/235446	2137301106866	Athra	1	F	Nasal Swab	21.01.2022	Negative	9438990455	Bisra Rourkela Sundargarh
6	Cov/235447	2137301106961	Kishor Behera	27	M	Nasal Swab	21.01.2022	Negative	7684922834	Ambedkarnagar Rourkela
7	Cov/235448	2137301106982	Sukumar Sarkar	72	M	Nasal Swab	21.01.2022	Negative	7003166577	Biramitrapur Sundargarh
8	Cov/235449	2137301106996	Sonamani Samad	45	F	Nasal Swab	21.01.2022	Negative	9438463006	Bonai Sundargarh
9	Cov/235450	2137301107009	Krishna Behera	3	M	Nasal Swab	21.01.2022	Negative	9668115495	Uditnagar Rourkela
10	Cov/235451	2137301107338	Dr Kastu Sahu	76	M	Nasal Swab	21.01.2022	Negative	9437082234	Civil Township Hh/8 Rourkela
11	Cov/235452	2137301107436	Sanjukta Mahalik	43	F	Nasal Swab	21.01.2022	Negative	9937944254	RGH IPD Rourkela
12	Cov/235453	2137301107454	Suresh Singh	56	M	Nasal Swab	21.01.2022	Negative	9437938181	RGH IPD Rourkela
13	Cov/235454	2137301107467	P Manmath Kumar Patra	59	M	Nasal Swab	21.01.2022	Negative	8339002142	RGH IPD Rourkela
14	Cov/235455	2137301107483	Hemalata Naik	75	M	Nasal Swab	21.01.2022	Negative	7894558120	RGH IPD Rourkela
15	Cov/235456	2137301107495	Sujit Ddungdung	37	M	Nasal Swab	21.01.2022	Negative	9668105518	RGH IPD Rourkela
16	Cov/235457	2137301107505	Gurudev Tanty	40	M	Nasal Swab	21.01.2022	Negative	7077738068	RGH IPD Rourkela
17	Cov/235458	2137301107521	Risi Joda	51	F	Nasal Swab	21.01.2022	Negative	9777694829	RGH IPD Rourkela
18	Cov/235459	2137301107681	Anjalina Surin	16	F	Nasal Swab	21.01.2022	Negative	9178516855	RGH IPD Rourkela
19	Cov/235460	2137301107686	Deepa Ekka	16	F	Nasal Swab	21.01.2022	Negative	9178516855	RGH IPD Rourkela
20	Cov/235461	2137301107692	Muna Patra	51	M	Nasal Swab	21.01.2022	Negative	7681832398	RGH IPD Rourkela
21	Cov/235462	2137301107704	Urmila Ekka	27	F	Nasal Swab	21.01.2022	Negative	8093849782	RGH STAFF Rourkela

22	Cov/235463	2137301107974	Sobhagya Kumar	33	M	Nasal Swab	21.01.2022	Negative	7829177700	C2M/87 Chhend Rourkela
23	Cov/235464	2137301107991	Dibya Lakra	27	F	Nasal Swab	21.01.2022	Negative	8459031233	Laliakhaman Sundargarh
24	Cov/236147	2137301108034	Manglu Maharana	43	M	Nasal Swab	21.01.2022	Negative	7847055349	RGH IPD Rourkela

**Prepared by:**



**Krishna Ch. Majhi**

**Checked and Approved by:**



**Dr. Ashit Bhusan Xess**



*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR