



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	21.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	20.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	21.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/320578	2137301510154	Santosh Chhatri	27	M	Nasal Swab	21.04.2023	Negative	9348662454	Power House Road Rkl
2	Cov/320579	2137301510158	Bikash Bhoina	34	M	Nasal Swab	21.04.2023	Negative	9861745414	M S Palli Rourkela
3	Cov/320580	2137301510162	Mamata Kour	22	F	Nasal Swab	21.04.2023	Negative	8144630337	Deogaon Sundargarh
4	Cov/320582	2137301510169	Ninder Kour	45	F	Nasal Swab	21.04.2023	Negative	8260776807	Malgodam Rourkela
5	Cov/320583	2137301510172	Atharv Sahoo	10	M	Nasal Swab	21.04.2023	Negative	9439513795	Panposh Rourkela
6	Cov/320584	2137301510176	Subhashree Aich	18	F	Nasal Swab	21.04.2023	Negative	9040725338	Sector 6 Rourkela
7	Cov/320585	2137301510178	Sekhar Chandra Sahoo	50	M	Nasal Swab	21.04.2023	Negative	9778220049	Chhend Colony Rkl
8	Cov/320586	2137301510181	Ganesh Behera	28	M	Nasal Swab	21.04.2023	Negative	7848061629	Sadhubahal Lahunipada
9	Cov/320587	2137301510187	Hajindar Pal Singh	50	M	Nasal Swab	21.04.2023	Negative	7282078216	Civiltownship Rkl
10	Cov/320588	2137301510189	Sanjeeb Minz	24	M	Nasal Swab	21.04.2023	Negative	8895639532	Osap Rourkela
11	Cov/320589	2137301510190	Pintu Singh	39	M	Nasal Swab	21.04.2023	Negative	9937026812	Hamirpur Rkl
12	Cov/320590	2137301510192	Sunil Kumar Das	20	M	Nasal Swab	21.04.2023	Negative	9583216489	Near Govt Iti Rkl
13	Cov/320591	2137301510194	Dilip Kumar Suna	26	M	Nasal Swab	21.04.2023	Negative	6371494575	Sti Chowk Rkl
14	Cov/320592	2137301510196	Pranati Rout	23	F	Nasal Swab	21.04.2023	Negative	6371494575	Sti Chowk Rkl
15	Cov/320593	2137301510197	K Nita	48	F	Nasal Swab	21.04.2023	Negative	9861602254	M S Palli Rourkela
16	Cov/320594	2137301510199	Rajendra Narayan	50	M	Nasal Swab	21.04.2023	Negative	8249057302	Basanti Colony Rkl
17	Cov/320595	2137301510201	Brijesh Dubey	67	M	Nasal Swab	21.04.2023	Negative	7855030428	Civiltownship Rkl
18	Cov/320596	2137301510203	Bijaya Laxmi Jal	55	F	Nasal Swab	21.04.2023	Negative	7978768946	Kuarmunda Rkl
19	Cov/320597	2137301510206	Manoj Lakhua	36	M	Nasal Swab	21.04.2023	Negative	8117879541	Ambedkar Nagar Basanti Colony
20	Cov/320598	2137301510213	Mahendra Mahato	65	M	Nasal Swab	21.04.2023	Negative	7462960848	Sector 5 Rourkela
21	Cov/320599	2137301510216	Nandita Mallick	45	M	Nasal Swab	21.04.2023	Negative	7008391594	Chhend Colony Rkl Sng

22	Cov/320600	2137301510226	Shanti Samal	70	F	Nasal Swab	21.04.2023	Negative	6371027794	Sector 22 Rourkela
23	Cov/320601	2137301510228	Nurpal Deluxe	62	M	Nasal Swab	21.04.2023	Negative	7894296436	Industrial Estate Rkl
24	Cov/320602	2137301510229	Bijay Kumar Sah	30	M	Nasal Swab	21.04.2023	Negative	7205334285	Ruputola Panposh Rkl
25	Cov/320603	2137301510231	Ashok Mohalik	45	M	Nasal Swab	21.04.2023	Negative	9938880106	Plant Site Rourkela
26	Cov/320604	2137301510234	Garish Kumar Sahu	33	M	Nasal Swab	21.04.2023	Negative	9798739505	Bonaigarh Sng
27	Cov/320605	2137301510236	Harihar Barik	41	M	Nasal Swab	21.04.2023	Negative	9937395620	Sector 1 Rourkela
28	Cov/320606	2137301510240	Susanta Pattanayak	52	M	Nasal Swab	21.04.2023	Negative	9040328656	Sector 14 Rourkela
29	Cov/320607	2137301510242	Sankar Ekka	18	M	Nasal Swab	21.04.2023	Negative	7894057329	Idc Kalunga Rkl
30	Cov/320608	2137301510331	Jyudhisthir Kishan	48	M	Nasal Swab	21.04.2023	Negative	7656592127	Shiriya Mahulpada

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR