



**DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela**

COVID-19 (RT-PCR) Test Report

Date and time of reporting	21.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	20.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	21.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/304627	2137301421067	Prakash Naik	51	M	Nasal Swab	21.09.2022	Negative	8984956681	CTS N4/7, RKL
02	Cov/304628	2137301421074	Sarata Kumar Rout	62	M	Nasal Swab	21.09.2022	Negative	9438112634	D-377 Koelnagar, RKL, SNG
03	Cov/304629	2137301421076	Prakash Chandra Panigrahi	65	M	Nasal Swab	21.09.2022	Negative	9337400828	X-06 CTS, RKL
04	Cov/304630	2137301421078	Saraswati Rout	59	F	Nasal Swab	21.09.2022	Negative	9438112634	D-377 Koelnagar, RKL
05	Cov/304631	2137301421087	Prabodh Kumar Mohanty	46	M	Nasal Swab	21.09.2022	Negative	9348789434	LCR-294,Chhend, RKL
06	Cov/304632	2137301421092	Sasmita Mohanty	42	F	Nasal Swab	21.09.2022	Negative	9348789434	LCR-294,Chhend, RKL
07	Cov/304633	2137301421097	Saina Seetal Mohanty	14	F	Nasal Swab	21.09.2022	Negative	9348789434	LCR-294,Chhend, RKL
08	Cov/304634	2137301421099	Dhaneswar Parida	41	M	Nasal Swab	21.09.2022	Negative	9892241154	D-145 Sec-8 , RKL
09	Cov/304635	2137301421102	Rahul Kumar Singh	29	M	Nasal Swab	21.09.2022	Negative	8374160201	Uditnagar, RKL
10	Cov/304636	2137301421106	Ranjan Kumar Biswal	31	M	Nasal Swab	21.09.2022	Negative	9778582182	Chhend Colony, RKL
11	Cov/304637	2137301421113	Sushanta Kumar Bindhani	39	M	Nasal Swab	21.09.2022	Negative	7008351856	Sec-8, RKL, SNG
12	Cov/304638	2137301421118	Deepak Kumar Lohar	43	M	Nasal Swab	21.09.2022	Negative	9437610719	B Colony, RKL, SNG
13	Cov/304639	2137301421239	Sumanta Kumar Pradhan	41	M	Nasal Swab	21.09.2022	Negative	7008568958	A-228 Sec-4, RKL
14	Cov/304640	2137301421241	Minakshi Pradhan	41	F	Nasal Swab	21.09.2022	Negative	7008568958	A-228 Sec-4 , RKL
15	Cov/304641	2137301421269	Chandra Sekhar Sahoo	35	M	Nasal Swab	21.09.2022	Negative	8260938717	GM-21 Chhend Colony, RKL
16	Cov/304642	2137301421272	Sita Kumari Sahoo	32	F	Nasal Swab	21.09.2022	Negative	8260938717	GM-21 Chhend Colony, RKL
17	Cov/304643	2137301421275	Suhani Sahoo	3	F	Nasal Swab	21.09.2022	Negative	8260938717	GM-21 Chhend Colony, RKL

Prepared by:

Krushina

Krishna Ch. Majhi

Checked and Approved by:



डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*