



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	21.10.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	20.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	21.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/310606	2137301444688	Ansuman Dash	30	M	Nasal Swab	21.10.2022	Negative	9439100056	E4-17 Civil Township, RKL
02	Cov/310607	2137301444691	Monoswini Dash	30	F	Nasal Swab	21.10.2022	Negative	9439100056	E4-17 Civil Township, RKL
03	Cov/310608	2137301444694	Inder Deo Barai	52	M	Nasal Swab	21.10.2022	Negative	9437202453	Flat No-03 Sector-2, RKL
04	Cov/310609	2137301444699	Bajjnath Pandey	38	M	Nasal Swab	21.10.2022	Negative	8867618076	Vedvyas B Tarang, RKL
05	Cov/310610	2137301444701	Harish Chandar	72	M	Nasal Swab	21.10.2022	Negative	8249596108	D-13 Civil Township, RKL
06	Cov/310611	2137301444702	Lala Chhada	69	F	Nasal Swab	21.10.2022	Negative	8249596108	D-13 Civil Township, RKL
07	Cov/310612	2137301444704	Sanjay Kumar Sahoo	52	M	Nasal Swab	21.10.2022	Negative	9437115546	A-5 Sector-8, RKL
08	Cov/310613	2137301444705	Amitabh Das	44	M	Nasal Swab	21.10.2022	Negative	9437221963	HIGB-149 Phase-3 Kalinga Bihar, RKL
09	Cov/310614	2137301444738	Sushil Kumar Verma	66	M	Nasal Swab	21.10.2022	Negative	8093468343	B-210 Sector-16, RKL
10	Cov/310615	2137301444741	Hardeep Kumar Verma	51	M	Nasal Swab	21.10.2022	Negative	9438427285	R S Sadan 1St Floor, RKL
11	Cov/310616	2137301444745	Seema Verma	51	F	Nasal Swab	21.10.2022	Negative	9438427285	Bazar Opposite Main Road, RKL

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*