



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	21.12.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	20.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	21.12.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/315783	2137301472255	Gokulanand Sahani	70	M	Nasal Swab	21.12.2022	Negative	9131387033	Sector-2 Durga Chowk, Rourkela
2	Cov/315784	2137301472264	Anand Barik	60	M	Nasal Swab	21.12.2022	Negative	6370717397	Chhend, Rourkela
3	Cov/315785	2137301472268	Bijay Kumar Patra	41	M	Nasal Swab	21.12.2022	Negative	9861998569	Ghosora Bonai, Sundargarh
4	Cov/315786	2137301472271	Swati Nayak	18	F	Nasal Swab	21.12.2022	Negative	8917531076	Sector-1 Kalunga, Rourkela
5	Cov/315787	2137301472275	Sunand Surin	42	M	Nasal Swab	21.12.2022	Negative	8018111134	Bad Jojoda Tainda
6	Cov/315788	2137301472278	Sachin Xaxa	23	M	Nasal Swab	21.12.2022	Negative	9439929676	Bad Nuagaon, Sundargarh
7	Cov/315789	2137301472295	Rahul Prasad	29	M	Nasal Swab	21.12.2022	Negative	7978212726	GB Palli, Rourkela
8	Cov/315790	2137301472297	Kama Mohanty	75	F	Nasal Swab	21.12.2022	Negative	9090369867	Fertilizer, Rourkela
9	Cov/315791	2137301472299	Ranjeet Kumar Pandit	27	M	Nasal Swab	21.12.2022	Negative	6200934644	Netaji Marg Railway Station Road, Rourkela
10	Cov/315792	2137301472307	Sushant Pradhan	39	M	Nasal Swab	21.12.2022	Negative	9937809902	Vedvyas, Rourkela
11	Cov/315793	2137301472310	Janardhan Biswal	52	M	Nasal Swab	21.12.2022	Negative	7381958390	Sector-3, Rourkela
12	Cov/315794	2137301472312	Sangita Behera	28	F	Nasal Swab	21.12.2022	Negative	9861661734	Jagda, Rourkela
13	Cov/315795	2137301472315	Dhananjay Prasad	40	M	Nasal Swab	21.12.2022	Negative	8079973157	G B Palli, Rourkela
14	Cov/315796	2137301472316	Prabhabati Biswal	53	F	Nasal Swab	21.12.2022	Negative	9438552575	Bonai Sundargarh
15	Cov/315797	2137301472319	Tuna Swain	28	M	Nasal Swab	21.12.2022	Negative	8658305490	Chhend, Rourkela
16	Cov/315798	2137301472322	Kapila Panigrahi	60	M	Nasal Swab	21.12.2022	Negative	8249864023	Tilkanagar Bondamunda
17	Cov/315799	2137301472325	Md Ali	41	M	Nasal Swab	21.12.2022	Negative	7001614881	Plant Site, Rourkela
18	Cov/315800	2137301472327	Mamata Mohapatra	26	F	Nasal Swab	21.12.2022	Negative	9776463904	Sector-6, Rourkela
19	Cov/315801	2137301472331	Dhirendra Sahoo	30	M	Nasal Swab	21.12.2022	Negative	7978645874	G D Palli, Rourkela

20	Cov/315802	2137301472339	Prakash Majhi	25	M	Nasal Swab	21.12.2022	Negative	6203148143	Basanti Colony, Rourkela
21	Cov/315803	2137301472345	Jannat Sidhiki	20	F	Nasal Swab	21.12.2022	Negative	7876414913	Mahatav Road, Rourkela
22	Cov/315804	2137301472349	Bhupen Bhowmik	72	M	Nasal Swab	21.12.2022	Negative	9348259678	MS Palli, Rourkela
23	Cov/315805	2137301472354	Md Afroz	21	M	Nasal Swab	21.12.2022	Negative	6387573008	Hassanpur, Rourkela
24	Cov/315806	2137301472358	Chandi Prasad	31	M	Nasal Swab	21.12.2022	Negative	7982775341	STI, Rourkela
25	Cov/315807	2137301472363	Tanu Sakla	16	F	Nasal Swab	21.12.2022	Negative	7790066269	Malgodown, Rourkela
26	Cov/315808	2137301472365	Dipti Mayee Pattnaik	38	F	Nasal Swab	21.12.2022	Negative	9337222168	Lathikata, Sundargarh
27	Cov/315809	2137301472398	Pooja Kujur	16	F	Nasal Swab	21.12.2022	Negative	8280453182	Rani Berna Lathikata
28	Cov/315810	2137301472401	Kalpna Pasayat	52	F	Nasal Swab	21.12.2022	Negative	9556207337	Tisco, Rourkela
29	Cov/315811	2137301472404	K Venketeswarlu	36	M	Nasal Swab	21.12.2022	Negative	9951404717	CRPF, Rourkela
30	Cov/315812	2137301472407	Ganesh Sahoo	54	M	Nasal Swab	21.12.2022	Negative	7749000987	Khuntgaon, Sundargarh
31	Cov/315813	2137301472410	Debasish Mohapatra	29	M	Nasal Swab	21.12.2022	Negative	9658551496	Sector-21, Rourkela
32	Cov/315814	2137301472417	Jully Singh	19	F	Nasal Swab	21.12.2022	Negative	8260406549	Vedvyas, Rourkela
33	Cov/315815	2137301472423	Barsha Barik	17	F	Nasal Swab	21.12.2022	Negative	7377735211	Sakhi, Rourkela
34	Cov/315816	2137301472427	Priti Mundary	16	F	Nasal Swab	21.12.2022	Negative	7377735211	Sakhi, Rourkela
35	Cov/315817	2137301472432	Sanjukta Kar	45	F	Nasal Swab	21.12.2022	Negative	9938227290	Chhend, Rourkela
36	Cov/315818	2137301472435	Shankar Turi	46	M	Nasal Swab	21.12.2022	Negative	8018120203	Katepur Bisra
37	Cov/315819	2137301472441	Sumit Barla	16	M	Nasal Swab	21.12.2022	Negative	9937318258	MS Palli, Rourkela
38	Cov/315820	2137301472445	Mahima Samasi	16	F	Nasal Swab	21.12.2022	Negative	6371915509	Sector-B Bondamunda
39	Cov/315821	2137301472450	Suraj Badaik	10	M	Nasal Swab	21.12.2022	Negative	9668464974	Sawmill Gate Sector-21, Rourkela
40	Cov/315822	2137301472454	Anita Sahoo	42	F	Nasal Swab	21.12.2022	Negative	9337620619	Railway Colony, Rourkela
41	Cov/315823	2137301472459	Nazar Haidar	66	M	Nasal Swab	21.12.2022	Negative	7064330933	Panposh, Rourkela
42	Cov/315824	2137301472509	Deepak Sabha Chandani	54	M	Nasal Swab	21.12.2022	Negative	9437221969	FI-/244 Basanti Colony, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrate.
- any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

SP/