



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	22.02.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	21.02.2023; 09:00 A.M.
Date & Time of receipt of specimen	22.02.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/318428	2137301492246	Mozma Khatoon	26	F	Nasal Swab	22.02.2023	Negative	8018699064	Malgodam Rourkela
2	Cov/318429	2137301492247	Md Firoz	38	M	Nasal Swab	22.02.2023	Negative	9861627713	Nalaroad Rourkela
3	Cov/318430	2137301492248	Monu Singh	28	M	Nasal Swab	22.02.2023	Negative	8144547897	Gandhi Road RKL
4	Cov/318431	2137301492249	Sujata Pradhan	24	F	Nasal Swab	22.02.2023	Negative	9078037326	G D Palli RKL
5	Cov/318432	2137301492250	Sarda Khatoon	50	F	Nasal Swab	22.02.2023	Negative	9777099357	Bisra Rourkela
6	Cov/318433	2137301492251	Sanju Sethy	35	F	Nasal Swab	22.02.2023	Negative	9337982571	Sti Rourkela
7	Cov/318434	2137301492252	Ranju Sethy	40	F	Nasal Swab	22.02.2023	Negative	7735695408	Civiltownship RKL
8	Cov/318435	2137301492253	Prem Gundua	16	M	Nasal Swab	22.02.2023	Negative	6372666036	Deogaon Sundargarh
9	Cov/318436	2137301492254	Rimis Gudia	74	M	Nasal Swab	22.02.2023	Negative	9556251161	Bisra Rourkela
10	Cov/318437	2137301492255	Gragia Bahala	54	F	Nasal Swab	22.02.2023	Negative	9668239188	Delakudar B Tarang
11	Cov/318438	2137301492256	Monalisha Das	19	F	Nasal Swab	22.02.2023	Negative	6372176712	Shantinagar RKL
12	Cov/318439	2137301492257	Jyoti Muduli	23	F	Nasal Swab	22.02.2023	Negative	7008893500	Chhend Colony RKL
13	Cov/318440	2137301492259	Brahmananda Dhal	37	M	Nasal Swab	22.02.2023	Negative	7381557133	Chhend Colony RKL
14	Cov/318441	2137301492260	Sukanti Bhoi	60	F	Nasal Swab	22.02.2023	Negative	8658759037	Uditnagar Rourkela
15	Cov/318442	2137301492261	Nazani Begum	43	F	Nasal Swab	22.02.2023	Negative	8984841315	Bisra Rourkela
16	Cov/318443	2137301492262	Debabrata Samal	39	M	Nasal Swab	22.02.2023	Negative	7077718999	Basanti Colony RKL
17	Cov/318444	2137301492263	Padma Rani Mohanty	60	F	Nasal Swab	22.02.2023	Negative	9778489791	Chhend Colony RKL
18	Cov/318445	2137301492264	Latman Ram	60	M	Nasal Swab	22.02.2023	Negative	7609950679	Balanda Rourkela
19	Cov/318446	2137301492265	Soni Prajapati	23	F	Nasal Swab	22.02.2023	Negative	9861273040	Malgodam Rourkela
20	Cov/318447	2137301492266	C Yasodha	47	F	Nasal Swab	22.02.2023	Negative	8658847030	Sector A Bondamunda
21	Cov/318448	2137301492267	Kajal Singh	24	F	Nasal Swab	22.02.2023	Negative	9337023805	G D Road Rourkela

22	Cov/318449	2137301492268	Riba Oram	55	M	Nasal Swab	22.02.2023	Negative	9776788091	Orampada Uditnagar RKL
23	Cov/318450	2137301492310	Ramesh Bharati	72	M	Nasal Swab	22.02.2023	Negative	7381547919	Sector 8 Rourkela

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशित भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR