



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	22.04.2023; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, GURUNDIA
SPECIMEN DETAILS	
Date & Time of sample collection	20.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	22.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/320673	2137301509749	Pratibha Patra	11	F	Nasal Swab	22.04.2023	Neagtive	7656031201	Kanyashram
02	Cov/320674	2137301509769	Amisha Lakra	11	F	Nasal Swab	22.04.2023	Neagtive	7656031201	Kanyashram
03	Cov/320675	2137301509804	Sandhya Tirkey	11	F	Nasal Swab	22.04.2023	Neagtive	7656031201	Kanyashram Gnd
04	Cov/320676	2137301509835	Ranjita Oram	13	F	Nasal Swab	22.04.2023	Neagtive	7656031201	Kanyashram
05	Cov/320677	2137301509851	Shushila Mahali	13	F	Nasal Swab	22.04.2023	Neagtive	8260808194	Pankadihi Gnd
06	Cov/320678	2137301509866	Sukanti Oram	25	F	Nasal Swab	22.04.2023	Neagtive	9943910554	Kundheidiha

Prepared by:

Checked and Approved by:

Hemanti

Hemanti Sabar

Dr. Ashit Bhusan Kess

Dr. Ashit Bhusan Kess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN KESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR