



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	22.04.2023; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, KUARMUNDA
SPECIMEN DETAILS	
Date & Time of sample collection	21.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	22.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/320766	2137301510761	Anil Ekka	30	M	Nasal Swab	22.04.2023	Neagtive	9337651157	Teliposh KMD
2	Cov/320767	2137301510667	Nauri Kujur	70	F	Nasal Swab	22.04.2023	Neagtive	8280453797	Jagdishpur KMD
3	Cov/320768	2137301510670	Minki Kishan	58	F	Nasal Swab	22.04.2023	Neagtive	8249176423	Padampur KMD
4	Cov/320770	2137301510676	Tanuja Barik	30	F	Nasal Swab	22.04.2023	Neagtive	9938707485	Kuarmunda KMD
5	Cov/320771	2137301510678	Sarita Devi	25	F	Nasal Swab	22.04.2023	Neagtive	9938707485	Kuarmunda KMD
6	Cov/320772	2137301510679	Sikha Kumari	8	F	Nasal Swab	22.04.2023	Neagtive	9938707485	Kuarmunda KMD
7	Cov/320773	2137301510682	Lalita Mahali	42	F	Nasal Swab	22.04.2023	Neagtive	7735744246	Raichhapal Kumjharia
8	Cov/320774	2137301510684	Mahendra Kerketta	40	M	Nasal Swab	22.04.2023	Neagtive	8328840875	Kuarmunda KMD
9	Cov/320775	2137301510688	Kada Kishan	42	M	Nasal Swab	22.04.2023	Neagtive	7609945507	Jharbeda KMD
10	Cov/320776	2137301510691	Sagar Kerketta	35	M	Nasal Swab	22.04.2023	Neagtive	9692142908	Jharbeda KMD
11	Cov/320777	2137301510695	Kaibalya Sahoo	78	M	Nasal Swab	22.04.2023	Neagtive	9938707485	Kuarmunda KMD
12	Cov/320778	2137301510698	Md Firoj	50	M	Nasal Swab	22.04.2023	Neagtive	7873711426	Kuarmunda KMD
13	Cov/320779	2137301510699	Muna Kisan	43	F	Nasal Swab	22.04.2023	Neagtive	9337213077	Kuarmunda KMD
14	Cov/320780	2137301510703	Arjun Tanty	40	M	Nasal Swab	22.04.2023	Neagtive	7684052309	Kaloshihria KMD
15	Cov/320781	2137301510707	Michho Kishan	57	M	Nasal Swab	22.04.2023	Neagtive	8249176423	Lakhotola Padampur
16	Cov/320782	2137301510709	Firrus Magheya	65	M	Nasal Swab	22.04.2023	Neagtive	8018073098	Keutenposh Padampur
17	Cov/320783	2137301510714	Debraj Karjee	38	M	Nasal Swab	22.04.2023	Neagtive	9556796042	Kudabeda KMD
18	Cov/320785	2137301510721	Rajesh Tigga	30	M	Nasal Swab	22.04.2023	Neagtive	9668395270	Naikenbahal KMD
19	Cov/320787	2137301510736	Somra Oram	39	M	Nasal Swab	22.04.2023	Neagtive	9556591028	Naikenbahal KMD
20	Cov/320788	2137301510741	Valentin Kujur	62	M	Nasal Swab	22.04.2023	Neagtive	9078943335	Kuarmunda KMD

21	Cov/320789	2137301510746	Amit Das	28	M	Nasal Swab	22.04.2023	Neagtive	7008139177	Jamunanaki KMD
22	Cov/320790	2137301510749	Satrughana Swain	35	M	Nasal Swab	22.04.2023	Neagtive	9861385184	Kuarmunda KMD
23	Cov/320791	2137301510752	Mathul Dam	79	M	Nasal Swab	22.04.2023	Neagtive	7846813414	Vatitola KMD
24	Cov/320792	2137301510755	Ansh Kumar	8	M	Nasal Swab	22.04.2023	Neagtive	6372953874	Kuarmunda KMD
25	Cov/320793	2137301510758	Sabita Devi	38	F	Nasal Swab	22.04.2023	Neagtive	6372953874	Kuarmunda KMD

Prepared by:

Checked and Approved by:

Hemanti

Hemanti Sabar

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR