



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	23.02.2022; 05:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	22.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	23.02.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/253011	2137301194364	Gagan Singh	52	M	Nasal Swab	23.02.2022	Negative	9955961747	L And T Fabrication RKL
2	Cov/253012	2137301194378	Audesh Mehta	50	M	Nasal Swab	23.02.2022	Negative	7250084233	L And T Fabrication RKL
3	Cov/253013	2137301194388	Deepak Kumar	22	M	Nasal Swab	23.02.2022	Negative	7250084233	L And T Fabrication RKL
4	Cov/253014	2137301194394	Sahin Parween	50	F	Nasal Swab	23.02.2022	Negative	9040127815	Nala Road RKL
5	Cov/253016	2137301194409	Dhuran Badaik	35	M	Nasal Swab	23.02.2022	Negative	6303589782	Shanti Nagar Sector-14 RKL
6	Cov/253017	2137301194417	Pranab Kishore Pattnayak	45	M	Nasal Swab	23.02.2022	Negative	7205310537	Fertilizer RKL
7	Cov/253018	2137301194429	Sweta Ray	22	F	Nasal Swab	23.02.2022	Negative	9692805416	Goiur Colony Uditnagar RKL
8	Cov/253019	2137301194433	Kishan Ram	27	M	Nasal Swab	23.02.2022	Negative	9337295482	Mahtab Road RKL
9	Cov/253020	2137301194684	Mini Khadia	64	F	Nasal Swab	23.02.2022	Negative	9937844665	Jhirpani RKL
10	Cov/253021	2137301195512	Laxmidhar Bhumij	21	M	Nasal Swab	23.02.2022	Negative	8260790240	Baukatola Nuagaon
11	Cov/253022	2137301195527	Manohar Mundari	22	M	Nasal Swab	23.02.2022	Negative	8658027371	Baukatola Nuagaon
12	Cov/253024	2137301195547	Susmita Barik	20	F	Nasal Swab	23.02.2022	Negative	9861146216	Kinjurkela Sundargarh
13	Cov/253025	2137301195553	Shanti Xess	32	F	Nasal Swab	23.02.2022	Negative	9937869827	Gutidarho Brahamani Tarang RKL
14	Cov/253026	2137301195563	Puja Khadia	25	F	Nasal Swab	23.02.2022	Negative	8658992747	Panposh Basti Rn Palli RKL
15	Cov/253027	2137301195572	Gudia Singh	21	F	Nasal Swab	23.02.2022	Negative	7848948210	Mahtab Road Rajgangpur SNG
16	Cov/253028	2137301195582	Sakshi Jain	20	F	Nasal Swab	23.02.2022	Negative	7684915867	S-9 Civil Township RKL
17	Cov/253029	2137301195594	Puneet Jain	20	M	Nasal Swab	23.02.2022	Negative	7437920758	Bl-91 Basanti Colony RKL
18	Cov/253030	2137301195604	Bibekananda Maharana	34	M	Nasal Swab	23.02.2022	Negative	7055001215	Bhanja Colony Fertilizer RKL
19	Cov/253032	2137301195620	Pooja Bhumij	21	F	Nasal Swab	23.02.2022	Negative	9348383787	Tangarpalli Sector-22 Rourkela
20	Cov/253033	2137301195625	Abdul Kadir	65	M	Nasal Swab	23.02.2022	Negative	8917205930	Nala Road Rourkela
21	Cov/253034	2137301195629	Dashkir Kelari	15	F	Nasal Swab	23.02.2022	Negative	8984209457	Goelkera Jharkhand
22	Cov/253035	2137301195636	Lilabati Patro	64	F	Nasal Swab	23.02.2022	Negative	9040605210	Dudta Bisra SNG

23	Cov/253036	2137301195640	Sunil Tanty	36	M	Nasal Swab	23.02.2022	Negative	9668490929	Ajikela Patrapalli RKL
24	Cov/253037	2137301195652	Bhaskar Behera	30	M	Nasal Swab	23.02.2022	Negative	9776050902	B-207 Sector-2 Rourkela
25	Cov/253038	2137301195659	Sandeep Jojo	35	M	Nasal Swab	23.02.2022	Negative	9337808600	Manoharpur Jharkhand

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*