




DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	23.03.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	22.03.2023; 09:00 A.M.
Date & Time of receipt of specimen	23.03.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/319340	2137301499000	Abanti Kamila	52	F	Nasal Swab	23.03.2023	Negative	8114813948	Nuabazar Rourkela
2	Cov/319341	2137301499001	Sundar Das	28	M	Nasal Swab	23.03.2023	Negative	7077624458	Malgodam Rourkela
3	Cov/319342	2137301499004	Saraswati Tanty	35	F	Nasal Swab	23.03.2023	Negative	7205256546	Sti Chowk Rkl
4	Cov/319343	2137301499008	Masanori Suzuki	55	M	Nasal Swab	23.03.2023	Negative	9593405742	Hotel Central Park Rourkela
5	Cov/319344	2137301499011	Susanti Khadia	74	F	Nasal Swab	23.03.2023	Negative	8280452727	Pradhanpali Rkl
6	Cov/319345	2137301499013	Daulat Verma	23	M	Nasal Swab	23.03.2023	Negative	7978365064	G B Palli Rourkela
7	Cov/319346	2137301499015	Ranjit Singh	43	M	Nasal Swab	23.03.2023	Negative	7978722218	Chhend Colony Rkl
8	Cov/319347	2137301499018	Siddarth Saji Kumar	17	M	Nasal Swab	23.03.2023	Negative	9037681952	Nit Rourkela
9	Cov/319348	2137301499020	Sushmita Singh	40	F	Nasal Swab	23.03.2023	Negative	8260011383	Jagda Rourkela
10	Cov/319349	2137301499092	Sapan Banerjee	55	F	Nasal Swab	23.03.2023	Negative	9078015975	Fertilizer Rkl
11	Cov/319350	2137301499093	Chaman Ban Goswami	22	M	Nasal Swab	23.03.2023	Negative	6370024912	Basanti Colony Rkl
12	Cov/319351	2137301499094	Subhashree Patel	19	F	Nasal Swab	23.03.2023	Negative	7325888569	Panposh Rourkela
13	Cov/319352	2137301499096	Nirmala Rout	70	F	Nasal Swab	23.03.2023	Negative	7606014324	Jalda A Block Rkl
14	Cov/319353	2137301499097	Madan Singh	65	M	Nasal Swab	23.03.2023	Negative	9776460862	G B Palli Rourkela
15	Cov/319354	2137301499099	Amit Kullu	30	M	Nasal Swab	23.03.2023	Negative	8260356994	Kacharu Kuarmunda
16	Cov/319355	2137301499102	Dangudhar Buda	52	M	Nasal Swab	23.03.2023	Negative	6372247638	Khurapali Kutra
17	Cov/319356	2137301499103	Binod Gope	56	M	Nasal Swab	23.03.2023	Negative	7008502170	S T Colony Rkl
18	Cov/319357	2137301499105	Shiv Charan Bhumij	42	M	Nasal Swab	23.03.2023	Negative	9178970890	Deogaon Sundargarh
19	Cov/319358	2137301499106	Chakru Dehri	58	M	Nasal Swab	23.03.2023	Negative	9693355734	Raikera Bano Jharkhand

Prepared by:



Hemanti Sabar

Checked and Approved by:



Dr. Ashit Bhusan Xess

डा. अशित भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*