



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP,, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	23.04.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital,, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	22.04.2022; 09:00 A.M.
Date & Time of receipt of specimen	23.04.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/270860	2137301267472	Jela Munda	60	F	Nasal Swab	23.04.2022	Negative	9348564271	Tamra Gurundia, Sundargarh
02	Cov/270861	2137301267473	Bikash Kujur	27	M	Nasal Swab	23.04.2022	Negative	9199430024	Lase Birmitrapur, Sundargarh
03	Cov/270862	2137301267475	Ladva Munda	70	M	Nasal Swab	23.04.2022	Negative	6371167216	Lahunipada, Sundargarh
04	Cov/270863	2137301267476	Kanti Sahani	40	F	Nasal Swab	23.04.2022	Negative	9337406723	Malgodam Uditnagar, Rourkela
05	Cov/270864	2137301267488	Parbati Xalxo	60	F	Nasal Swab	23.04.2022	Negative	8658184011	Birmitrapur, Sundargarh
06	Cov/270865	2137301267492	Jamuna Bhumij	45	F	Nasal Swab	23.04.2022	Negative	7328849426	Lahunipada, Sundargarh
07	Cov/270866	2137301267495	Sada Munda	30	M	Nasal Swab	23.04.2022	Negative	9178927309	Gauduniposh K Balang, Sundargarh
08	Cov/270867	2137301267498	Sanjay Kumar Behera	48	M	Nasal Swab	23.04.2022	Negative	7608856762	Jalda, Rourkela, Sundargarh
09	Cov/270868	2137301267505	Ashmini Kumar Sahoo	45	M	Nasal Swab	23.04.2022	Negative	9937406142	B/283 Sector 6, Rourkela
10	Cov/270869	2137301267508	Priya Passary Agarwal	32	F	Nasal Swab	23.04.2022	Negative	9724722221	Power House Road Plant Site, Rourkela
11	Cov/270870	2137301267512	Abhimanyu Agarwal	3	M	Nasal Swab	23.04.2022	Negative	9724722221	Power House Road Plant Site, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/

*any other health care facility affirming requirements of the case definition/s.*

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*