



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	23.06.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	22.06.2022; 09:00 A.M.
Date & Time of receipt of specimen	23.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/277882	2137301302983	Saibani Mahanta	53	F	Nasal Swab	23.06.2022	Negative	9827491028	Sardhapur, Lahunipada
2	Cov/277883	2137301302988	Narayan Naik	60	M	Nasal Swab	23.06.2022	Negative	9348836454	Birmitrapur, Bonmunda Dafai
3	Cov/277884	2137301302998	Sukharab Barla	42	M	Nasal Swab	23.06.2022	Negative	8280452355	Nuagaon, Sundargarh
4	Cov/277885	2137301303002	Bhikari Nayak	40	M	Nasal Swab	23.06.2022	Negative	7787041103	Sector 5 Golghar, Rourkela
5	Cov/277886	2137301303006	Daharu Oram	52	M	Nasal Swab	23.06.2022	Negative	7326873183	Baddalki, Lathikata
6	Cov/277887	2137301303010	Kunja Badaik	60	F	Nasal Swab	23.06.2022	Negative	7735629870	Sitalpada Uditnagar, Rourkela
7	Cov/277888	2137301303011	Niranjan Suren	35	M	Nasal Swab	23.06.2022	Negative	7077574227	Laing Barpalli, Sundargarh
8	Cov/277889	2137301303012	Sumit Nayak	15	M	Nasal Swab	23.06.2022	Negative	6370327626	IDC Kalunga, Sundargarh
9	Cov/277890	2137301302834	Surendra Maharana	45	M	Nasal Swab	23.06.2022	Negative	9861036473	D/135, Sector-1, Rourkela
10	Cov/277891	2137301303015	Muskan Soy	20	F	Nasal Swab	23.06.2022	Negative	9348527610	Balijodi, Rourkela
11	Cov/277892	2137301303258	Ayushi Soni	25	F	Nasal Swab	23.06.2022	Negative	9915477503	Uditnagar, Rourkela
12	Cov/277893	2137301303263	Neha Agarwal	33	F	Nasal Swab	23.06.2022	Negative	7498213373	Basanti Colony, Rourkela
13	Cov/277894	2137301303268	Suvam Sahoo	30	M	Nasal Swab	23.06.2022	Negative	8895534646	Uditnagar, Rourkela
14	Cov/277895	2137301303274	Harsh Prasad	29	M	Nasal Swab	23.06.2022	Negative	9915477503	Uditnagar, Rourkela
15	Cov/277896	2137301303279	Siddharth Behera	58	M	Nasal Swab	23.06.2022	Negative	9437380769	Q/03, Civil Township, Rourkela
16	Cov/277897	2137301303283	Ranjan Kumar Pradhan	43	M	Nasal Swab	23.06.2022	Negative	9124823900	C/212, Koelnagar, Rourkela
17	Cov/277898	2137301303289	Alya Pradhan	8	F	Nasal Swab	23.06.2022	Negative	9124823900	C/212, Koelnagar, Rourkela
18	Cov/277899	2137301303291	Jyotshna Pattnaik	41	F	Nasal Swab	23.06.2022	Negative	9124823900	C/212, Koelnagar, Rourkela
19	Cov/277900	2137301303305	Hemalata Pattanayak	71	F	Nasal Swab	23.06.2022	Negative	9124823900	C/212, Koelnagar, Rourkela
20	Cov/277901	2137301303310	Aman Preet Singh	42	M	Nasal Swab	23.06.2022	Negative	9437047079	Civil Township, Rourkela
21	Cov/277902	2137301303315	Ranveer Singh	11	M	Nasal Swab	23.06.2022	Negative	9437047079	Civil Township, Rourkela
22	Cov/277903	2137301303367	Arman Singh	5	M	Nasal Swab	23.06.2022	Negative	9437047079	Civil Township, Rourkela

23	Cov/277904	2137301303332	Jasneen Kaur	39	M	Nasal Swab	23.06.2022	Negative	9437047079	Civil Township, Rourkela
----	------------	---------------	--------------	----	---	------------	------------	----------	------------	--------------------------

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*