



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	23.09.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	22.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	23.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result	Mobile No.	Address
								2019-nCoV		
01	Cov/305129	2137301423223	Bijaya Keshari Pattnaik	52	M	Nasal Swab	23.09.2022	Negative	9437171535	Basanti Colony RKL
02	Cov/305130	2137301423226	Sarmista Rani Sethi	41	F	Nasal Swab	23.09.2022	Negative	9620200589	Sector-8 RKL
03	Cov/305131	2137301423230	Nikhil Agarwal	33	M	Nasal Swab	23.09.2022	Negative	9776590905	Y-09 Civil Town Ship RKL
04	Cov/305132	2137301423234	Vishal Hemant Sanghvi	36	M	Nasal Swab	23.09.2022	Negative	9437196697	W-14 1St Floor Civil Town Ship
05	Cov/305133	2137301423239	Chaitali Jitendra Shah	33	M	Nasal Swab	23.09.2022	Negative	9437196697	W-14 1St Floor Civil Town Ship
06	Cov/305134	2137301423245	Dhiaan Sanghavi	5	M	Nasal Swab	23.09.2022	Negative	9437196697	W-14 1St Floor Civil Town Ship
07	Cov/305135	2137301423247	Vivek Anand Das	35	M	Nasal Swab	23.09.2022	Negative	7978329818	Uditnagar RKL
08	Cov/305136	2137301423250	Pawan Kumar Agarwal	52	M	Nasal Swab	23.09.2022	Negative	9437043777	Usitnagar RKL
09	Cov/305137	2137301423257	Desouza Annabella	67	M	Nasal Swab	23.09.2022	Negative	9437042038	Sector-2 Desouzas Sch RKL
10	Cov/305138	2137301423263	Desouza Alexander	72	M	Nasal Swab	23.09.2022	Negative	9437042038	Sector-2 Desouzas Sch RKL
11	Cov/305139	2137301423265	Rahul Kumar Gupta	30	M	Nasal Swab	23.09.2022	Negative	9937715209	Vedvyas Near Radha Krisha RKL
12	Cov/305140	2137301423274	Jesus Javier Rodriquez	48	M	Nasal Swab	23.09.2022	Negative	8249138855	Dipty Hotel RKL

Prepared by:

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*