



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	24.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, HATIBARI
SPECIMEN DETAILS	
Date & Time of sample collection	22.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	24.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/320989	2137301512048	Gita Panda	40	F	Nasla Swab	24.04.2023	Negative	9692672975	Olhani Hatibari
02	Cov/320990	2137301512053	Kalastika Bilung	17	F	Nasla Swab	24.04.2023	Negative	6371708436	Kandarkela Kandarkela
03	Cov/320992	2137301512058	Sarita Sahoo	11	F	Nasla Swab	24.04.2023	Negative	9937704935	Hatibari Hatibari Pin:770046
04	Cov/320995	2137301512067	Anuska Jojo	9	F	Nasla Swab	24.04.2023	Negative	8018257959	Purnapani Purnapani
05	Cov/320999	2137301512083	Anjali Tirkey	21	F	Nasla Swab	24.04.2023	Negative	9776773263	Bhojpur Purnapani
06	Cov/321000	2137301512085	Jamuna Beg	21	F	Nasla Swab	24.04.2023	Negative	8984907670	Rengalbeda Kandarkela

Prepared by:

Checked and Approved by:

Hemanti Sabar

Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR