



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	24.06.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	23.06.2022; 09:00 A.M.
Date & Time of receipt of specimen	24.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/278042	2137301303987	Yogesh Kumar Dalmia	62	M	Nasal Swab	24.06.2022	Negative	8328921744	W/07,Civil Township, Rourkela
02	Cov/278043	2137301303991	Sunita Dalmia	58	F	Nasal Swab	24.06.2022	Negative	8328921744	W/07,Civil Township, Rourkela
03	Cov/278044	2137301303995	Nishant Dalmia	26	M	Nasal Swab	24.06.2022	Negative	8328921744	2 07 Civil Township, Rourkela
04	Cov/278045	2137301303998	Akansha Sumaria	32	F	Nasal Swab	24.06.2022	Negative	9437047889	Uditnagar Power House, Rourkela
05	Cov/278046	2137301304002	Birendra Gandhi	71	M	Nasal Swab	24.06.2022	Negative	9937004279	W/06 Civil Township, Rourkela
06	Cov/278047	2137301304006	Anuradha Gandhi	66	F	Nasal Swab	24.06.2022	Negative	9937004279	W/06 Civil Township, Rourkela
07	Cov/278048	2137301304011	Shah Nakul Yogesh	29	M	Nasal Swab	24.06.2022	Negative	7008867956	Basanti Colony, Rourkela
08	Cov/278049	2137301304014	Fahim Mohammad	29	M	Nasal Swab	24.06.2022	Negative	7070839019	Mehtab Road, Rourkela

Prepared by:

Krishna Ch. Majhi

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR