



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	24.07.2021; 08:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	24.07.2021; 01:30 P.M.
Date & Time of receipt of specimen	24.07.2021; 02:45 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/107241	Shyam Bihari Nagori	62	M	Nasal Swab	24.07.2021	Negative	9437040733	RGH OPD
02	Cov/107242	Alok Kumar	46	M	Nasal Swab	24.07.2021	Negative	8420412603	RGH OPD
03	Cov/107243	Nelan Surin	66	F	Nasal Swab	24.07.2021	Negative	9337179538	RGH OPD
04	Cov/107244	Punam Lohar	19	F	Nasal Swab	24.07.2021	Negative	9556154896	RGH IPD
05	Cov/107245	Pranati Nayak	31	F	Nasal Swab	24.07.2021	Negative	9108092290	RGH IPD
06	Cov/107246	Budho Devi	34	F	Nasal Swab	24.07.2021	Negative	6370792825	RGH IPD
07	Cov/107247	Rita Behera	45	F	Nasal Swab	24.07.2021	Negative	8260270040	RGH IPD
08	Cov/107248	Anita Jindal	47	F	Nasal Swab	24.07.2021	Negative	9583338458	RGH OPD
09	Cov/107249	Akshya Ku Das	43	M	Nasal Swab	24.07.2021	Negative	7327960720	RGH OPD
10	Cov/107250	Ranjita Das	36	F	Nasal Swab	24.07.2021	Negative	7327960720	RGH OPD
11	Cov/107251	Biswa Ranjan Das	2	M	Nasal Swab	24.07.2021	Negative	7327960720	RGH OPD
12	Cov/107252	Rahul Ku Kalo	21	M	Nasal Swab	24.07.2021	Negative	7752099066	RGH OPD
13	Cov/107253	Rajesh Kumar	28	M	Nasal Swab	24.07.2021	Negative	8210857183	RGH IPD
14	Cov/107254	Rajat Kumar Goel	30	M	Nasal Swab	24.07.2021	Negative	9439167672	RGH OPD
15	Cov/107255	Tapaswini Priya Mohanty	38	F	Nasal Swab	24.07.2021	Negative	9437342484	RGH IPD
16	Cov/107256	Namita Sagar	24	F	Nasal Swab	24.07.2021	Negative	8335817871	RGH IPD
17	Cov/107257	Sukramani Kumbhar	26	F	Nasal Swab	24.07.2021	Negative	9178005817	RGH IPD
18	Cov/107258	Sanjukta Bhoi	19	F	Nasal Swab	24.07.2021	Negative	8895874515	RGH IPD
19	Cov/107259	Sonali Sagar	22	F	Nasal Swab	24.07.2021	Negative	7946995141	RGH IPD

20	Cov/107260	Pradhan Tappo	65	M	Nasal Swab	24.07.2021	Negative	9776161715	RGH IPD
21	Cov/107261	Sunil Sharma	44	M	Nasal Swab	24.07.2021	Negative	7008737653	RGH IPD
22	Cov/107262	Mahendra Bhoi	28	M	Nasal Swab	24.07.2021	Negative	8249623778	RGH IPD
23	Cov/107263	Shrimati Bhagu	20	F	Nasal Swab	24.07.2021	Negative	7209833772	RGH IPD
24	Cov/107264	Shyam Sundar Panda	30	M	Nasal Swab	24.07.2021	Negative	9090570707	RGH IPD
25	Cov/107265	Mukesh Mandal	23	M	Nasal Swab	24.07.2021	Negative	7008047507	RGH IPD
26	Cov/107266	Salma Khatoon	35	F	Nasal Swab	24.07.2021	Negative	7848967100	RGH IPD
27	Cov/107267	Sabita Minz	13	F	Nasal Swab	24.07.2021	Negative	8458023913	RGH IPD
28	Cov/107268	Shaishwan Thakur	3	M	Nasal Swab	24.07.2021	Negative	7003636181	RGH IPD
29	Cov/107269	Rama Yadav	21	F	Nasal Swab	24.07.2021	Negative	9078252240	RGH IPD
30	Cov/107270	Arbind Choudhary	28	M	Nasal Swab	24.07.2021	Negative	8225859584	RGH IPD
31	Cov/107271	Pramod Dung Dung	36	M	Nasal Swab	24.07.2021	Negative	9348454976	RGH IPD
32	Cov/107272	Pancha Bhakta	55	M	Nasal Swab	24.07.2021	Negative	8658483575	RGH IPD

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR