



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	24.12.2021; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	23.12.2021; 09:00 A.M.
Date & Time of receipt of specimen	24.12.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/206354	2137300982712	Akshya Kumar Sabat	51	M	Nasal Swab	24.12.2021	Negative	8456928728	HIG-52 Chhend, Rourkela
2	Cov/206355	2137300982720	Sangita Sabat	50	F	Nasal Swab	24.12.2021	Negative	8456928728	HIG-52 Chhend, Rourkela
3	Cov/206356	2137300982729	Aditya Kumar Sabat	20	M	Nasal Swab	24.12.2021	Negative	8456928728	HIG-52 Chhend, Rourkela
4	Cov/206357	2137300982744	Adyasha Sabat	11	F	Nasal Swab	24.12.2021	Negative	8456928728	HIG-52 Chhend, Rourkela
5	Cov/206358	2137300982754	Patitapaban Tripathy	43	M	Nasal Swab	24.12.2021	Negative	9437011726	S3M1-43 Chhend RDA Colony, Rourkela
6	Cov/206359	2137300982761	Majhi Nunaram	34	M	Nasal Swab	24.12.2021	Negative	7735561776	C-176 Sector-17, Rourkela
7	Cov/206360	2137300982770	Soumy Ranjan Sahu	40	M	Nasal Swab	24.12.2021	Negative	9437038461	D-62 Koelnagar, Rourkela
8	Cov/206361	2137300982778	Silva Panda	36	F	Nasal Swab	24.12.2021	Negative	9437038461	D-62 Koelnagar, Rourkela
9	Cov/206362	2137300982798	Agastya Sahu	6	M	Nasal Swab	24.12.2021	Negative	9437038461	D-62 Koelnagar, Rourkela
10	Cov/206363	2137300982806	Pravat Kumar Dalbehera	46	M	Nasal Swab	24.12.2021	Negative	7606000508	M-12 Chhend Colony, Rourkela
11	Cov/206364	2137300982816	Deepti Sahoo	39	F	Nasal Swab	24.12.2021	Negative	7606000508	M-12 Chhend Colony, Rourkela
12	Cov/206365	2137300982824	Prateek Dalbehera	11	M	Nasal Swab	24.12.2021	Negative	7606000508	M-12 Chhend Colony, Rourkela
13	Cov/206366	2137300982831	Siddhant Dalbehera	11	M	Nasal Swab	24.12.2021	Negative	7606000508	M-12 Chhend Colony, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*