



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	25.03.2023; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	24.03.2023; 09:00 A.M.
Date & Time of receipt of specimen	25.03.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/319393	2137301499475	Gulsan Sanga	20	M	Nasal Swab	25.03.2023	Negative	9348264561	Ramjodi Lathikata
2	Cov/319394	2137301499478	Rajesh Kumar Das	30	M	Nasal Swab	25.03.2023	Negative	9692289099	Sti Rourkela
3	Cov/319395	2137301499481	Kartik Manjhi	29	M	Nasal Swab	25.03.2023	Negative	8789268759	Sector 16 Rourkela
4	Cov/319396	2137301499488	Sanjay Oram	27	M	Nasal Swab	25.03.2023	Negative	6371601985	Hirakud Colony,RKL
5	Cov/319397	2137301499496	Chhoten Sahoo	70	M	Nasal Swab	25.03.2023	Negative	7853911877	Talsera,Birmitrapur
6	Cov/319398	2137301499504	Sunita Hembrom	16	F	Nasal Swab	25.03.2023	Negative	7438909564	Gudatoli,RKL
7	Cov/319399	2137301499507	Amit Kumar Gupta	27	M	Nasal Swab	25.03.2023	Negative	7008484297	Nuagaon, RKL
8	Cov/319400	2137301499511	Ananya Priyadarshini	15	F	Nasal Swab	25.03.2023	Negative	7978153722	Sector-1,RKL
9	Cov/319401	2137301499515	Subhashree Mohapatra	36	F	Nasal Swab	25.03.2023	Negative	8249410498	Sector-19,RKL
10	Cov/319402	2137301499520	Pujarani Nayak	19	F	Nasal Swab	25.03.2023	Negative	6371503326	Sti,Gadhatoli,RKL
11	Cov/319403	2137301499526	Om Prakash Yadav	39	M	Nasal Swab	25.03.2023	Negative	9752630330	Kuarmunda, RKL
12	Cov/319404	2137301499530	Balika Meher	52	F	Nasal Swab	25.03.2023	Negative	8249231948	Daily Market, RKL
13	Cov/319405	2137301499535	Amswari Patra	61	F	Nasal Swab	25.03.2023	Negative	7504781283	Kalinga Bihar Chhend, RKL
14	Cov/319406	2137301499570	Jagat Singh	50	M	Nasal Swab	25.03.2023	Negative	7326867569	Bankoba Kardega,RKL
15	Cov/319407	2137301499574	Sadhu Kishan	60	M	Nasal Swab	25.03.2023	Negative	9439278387	Sarsara Balang Tikayatpali, RKL

16	Cov/319408	2137301499576	Kashinath Deep	70	M	Nasal Swab	25.03.2023	Negative	9861713134	Sector-2 Khariabahal, RKL
17	Cov/319409	2137301499619	Pratap Sekhar Ekka	45	M	Nasal Swab	25.03.2023	Negative	8249047988	Purnapani Hatibari, RKL
18	Cov/319410	2137301499622	Ashuddin Sarwari	37	M	Nasal Swab	25.03.2023	Negative	9776072194	Nalaroad, RKL
19	Cov/319411	2137301499624	Jema Tanty	42	F	Nasal Swab	25.03.2023	Negative	9178580179	Mandiakudar Chungimati, RKL
20	Cov/319412	2137301499626	Subhadra Singh	28	F	Nasal Swab	25.03.2023	Negative	9438385163	Dalakuder Lathikata, RKL
21	Cov/319413	2137301499629	Lopa Manjari Rana	43	F	Nasal Swab	25.03.2023	Negative	9348521822	Balanda Lathikata, RKL
22	Cov/319414	2137301499631	Saraswati Pradhan	67	F	Nasal Swab	25.03.2023	Negative	9661565767	Sonua Jkd, RKL

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela