



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	25.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, KUARMUNDA
SPECIMEN DETAILS	
Date & Time of sample collection	23.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	25.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/321020	2137301512383	Ramayan Ray	56	M	Nasla Swab	25.04.2023	Negative	7750935995	Kuarmunda KMD
2	Cov/321021	2137301512386	Rupesh Yadav	18	M	Nasla Swab	25.04.2023	Negative	8815755307	Vedviyas RKL
3	Cov/321022	2137301512387	Harish Ch Kindo	57	M	Nasla Swab	25.04.2023	Negative	9938644996	Lanjiberna KMD
4	Cov/321023	2137301512388	Ganga Barla	28	M	Nasla Swab	25.04.2023	Negative	7978087476	Kaloshihria KMD
5	Cov/321024	2137301512391	Kamala Kishan	65	F	Nasla Swab	25.04.2023	Negative	9938707485	Chutiatala KMD
6	Cov/321025	2137301512392	Habetul Majhi	65	M	Nasla Swab	25.04.2023	Negative	8018764319	Lakhotola KMD
7	Cov/321027	2137301512395	Rabindra Mahanta	62	M	Nasla Swab	25.04.2023	Negative	9938707485	Kuarmunda KMD
8	Cov/321029	2137301512399	Anual Ansari	35	M	Nasla Swab	25.04.2023	Negative	8827094050	Kuarmunda KMD
9	Cov/321030	2137301512402	Prachi Sahoo	9	F	Nasla Swab	25.04.2023	Negative	6371367729	Kuarmunda KMD
10	Cov/321031	2137301512404	Chandu Khakha	59	F	Nasla Swab	25.04.2023	Negative	8018316889	Teliposh KMD
11	Cov/321032	2137301512405	Kamini Singh	30	F	Nasla Swab	25.04.2023	Negative	7077617180	Kacharu KMD
12	Cov/321033	2137301512408	Kuanri Oran	42	F	Nasla Swab	25.04.2023	Negative	9438647669	Bhaludumer KMD
13	Cov/321034	2137301512409	Munguli Lakra	45	F	Nasla Swab	25.04.2023	Negative	8338959921	Kalokudar KMD
14	Cov/321035	2137301512411	Amrita Barua	20	F	Nasla Swab	25.04.2023	Negative	7847958402	Teliposh KMD
15	Cov/321060	2137301513223	Sujay Soreng	4	M	Nasla Swab	25.04.2023	Negative	9692812677	Basanti Colony RKL

Prepared by:

Checked and Approved by:

Hemanti

Dr. Ashit Bhusan Xess

Hemanti Sabar

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*