



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	25.06.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	24.06.2022; 09:00 A.M.
Date & Time of receipt of specimen	25.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/277977	2137301302857	Raghubir Lohar	23	M	Nasal Swab	25.06.2022	Negative	9337182864	Badgaon
2	Cov/278175	2137301303777	Dilu Sethi	29	M	Nasal Swab	25.06.2022	Negative	9438142817	Bonai, Bonai
3	Cov/278176	2137301303779	Sadasiba Apat	70	M	Nasal Swab	25.06.2022	Negative	9437334887	Jinkala, Lahunipara
4	Cov/278177	2137301303780	Hiradhar Mahanta	78	M	Nasal Swab	25.06.2022	Negative	9437334887	Jinkala, Lahunipara
5	Cov/278178	2137301303781	Nara Munda	70	M	Nasal Swab	25.06.2022	Negative	9437334887	Jinkala, Lahunipara
6	Cov/278179	2137301303782	Parbati Mahanta	58	F	Nasal Swab	25.06.2022	Negative	9437334887	Jinkala, Lahunipara
7	Cov/278180	2137301303783	Nilu Munda	70	M	Nasal Swab	25.06.2022	Negative	9437334887	Jinkala, Lahunipara
8	Cov/278181	2137301303784	Lalita Naik	50	F	Nasal Swab	25.06.2022	Negative	8249432132	Kuliposh, Lahunipara

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR