



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	25.11.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	24.11.2022; 09:00 A.M.
Date & Time of receipt of specimen	25.11.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/314542	2137301462015	Sangeeta Pushpa Minz	33	F	Nasal Swab	25.11.2022	Negative	8895504284	Chhend Colony RKL
02	Cov/314543	2137301462019	Hidehiko Jeshigawara	59	M	Nasal Swab	25.11.2022	Negative	9124120242	Hotel Mayfair RKL
03	Cov/314544	2137301462024	Sangram Keshari Khadagraj	48	M	Nasal Swab	25.11.2022	Negative	9040724082	B-101 Sector-2 RKL
04	Cov/314545	2137301462025	Birabar Behera	48	M	Nasal Swab	25.11.2022	Negative	8895504621	B-134 Sector-7 RKL
05	Cov/314546	2137301462029	Anil Kumar Das	48	M	Nasal Swab	25.11.2022	Negative	9861377081	G-250 Sector-1 RKL
06	Cov/314547	2137301462033	Jayadratha Mohapatra	50	M	Nasal Swab	25.11.2022	Negative	9861377079	A-45 Sector-20 RKL
07	Cov/314548	2137301462036	Sisir Kumar Das	52	M	Nasal Swab	25.11.2022	Negative	9437034809	F-27 Sector-6 RKL
08	Cov/314549	2137301462054	Amulya Kumar Samantara	51	M	Nasal Swab	25.11.2022	Negative	9861849415	G-124 Sector-1 RKL
09	Cov/314550	2137301462056	Subhashree Sasmita Kar	30	F	Nasal Swab	25.11.2022	Negative	9861038101	R-12 Civil Township RKL
10	Cov/314551	2137301462059	Ranjit Singh	38	M	Nasal Swab	25.11.2022	Negative	9861123148	Basanti Colony RKL
11	Cov/314552	2137301462060	Satyajeet Anand Tripathy	35	M	Nasal Swab	25.11.2022	Negative	8897328844	D-233 Sector-8 RKL
12	Cov/314553	2137301462061	Manisha Goenka	40	F	Nasal Swab	25.11.2022	Negative	9437040448	STO Civil Township RKL
13	Cov/314554	2137301462140	Vishwas Agarwal	19	M	Nasal Swab	25.11.2022	Negative	9337745467	804-Miridian Towar,Uditnagar, RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ  
Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)

*any other health care facility affirming requirements of the case definition/s.*

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*