



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP,, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	26.04.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	25.04.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.04.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/271222	2137301268748	Sumeet Soreng	19	M	Nasal Swab	26.04.2022	Negative	9337643338	Jagda Rourkela
2	Cov/271223	2137301268750	Devdat Mahto	36	M	Nasal Swab	26.04.2022	Negative	9937906000	S T I Rourkela
3	Cov/271224	2137301268752	Laxmi Priya Sahoo	50	F	Nasal Swab	26.04.2022	Negative	9776932332	Panposh Main Road Rourkela
4	Cov/271225	2137301268753	Nabin Singh	24	M	Nasal Swab	26.04.2022	Negative	8908812677	Jalda A Block
5	Cov/271226	2137301268755	Rehana Tobosum	60	F	Nasal Swab	26.04.2022	Negative	9337172642	Main Road Rourkela
6	Cov/271227	2137301268757	Prabhu Sai Horo	48	M	Nasal Swab	26.04.2022	Negative	8984036804	Malgodam Rourkela
7	Cov/271228	2137301268758	Abraham Baxla	76	M	Nasal Swab	26.04.2022	Negative	9777657518	Malidihi Rajgangpur
8	Cov/271229	2137301268759	Karmu Madhap	81	M	Nasal Swab	26.04.2022	Negative	9777380383	Mandakuda Rajgangpur
9	Cov/271230	2137301268760	Maino Oram	60	F	Nasal Swab	26.04.2022	Negative	8895527967	Vedvyas Rourkela
10	Cov/271231	2137301268761	Bijay Prasad	29	M	Nasal Swab	26.04.2022	Negative	7735221430	Jalda Rourkela
11	Cov/271232	2137301268856	Mantosh Rajguru	19	M	Nasal Swab	26.04.2022	Negative	9348105940	Koelnagar Rourkela Sundargarh
12	Cov/271233	2137301268857	Sanjay Kumar Sahani	31	M	Nasal Swab	26.04.2022	Negative	6372492809	Shanti Nagar Rourkela Sundargarh
13	Cov/271234	2137301268858	Somya Ranjan Mohanty	20	M	Nasal Swab	26.04.2022	Negative	7735034680	Rp Line Rourkela Sundargarh
14	Cov/271235	2137301268859	S K Kutubuddin	33	M	Nasal Swab	26.04.2022	Negative	8093881344	Sector - 15 Rourkela Sundargarh

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*