



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP,, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	26.04.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	25.04.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.04.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/271236	2137301268721	Laxmi Dhar Mahanta	60	M	Nasal Swab	26.04.2022	Negative	9668582035	Saleidihi Lahunipada
02	Cov/271237	2137301268722	Pramila Kishan	20	F	Nasal Swab	26.04.2022	Negative	8260700318	Pitamahal Kalunga
03	Cov/271238	2137301268723	Kastu Singh	52	M	Nasal Swab	26.04.2022	Negative	9556809167	Khatang Jharia Kutra
04	Cov/271239	2137301268724	Keshav Keshari	5	M	Nasal Swab	26.04.2022	Negative	9438917210	Income Tax Colony Rourkela
05	Cov/271240	2137301268726	Rahmudin Khan	30	M	Nasal Swab	26.04.2022	Negative	6372414353	Malgodam Rourkela
06	Cov/271241	2137301268728	Bibha Mukharjee	75	F	Nasal Swab	26.04.2022	Negative	9437302359	Uditnagar Rourkela
07	Cov/271242	2137301268730	Gayatri Singh	60	F	Nasal Swab	26.04.2022	Negative	8984495710	Panposh Rourkela
08	Cov/271243	2137301268733	Masi Kandulna	61	M	Nasal Swab	26.04.2022	Negative	9178570256	Uditnagar Rourkela
09	Cov/271244	2137301268736	Durgesh Kumbhar	40	M	Nasal Swab	26.04.2022	Negative	6371627661	Dahiposh Rourkela
10	Cov/271245	2137301268738	Niyati Tirkey	53	F	Nasal Swab	26.04.2022	Negative	9583462017	Fertilizer Tangarpalli
11	Cov/271246	2137301268741	Jhirga Barla	60	M	Nasal Swab	26.04.2022	Negative	8249037784	Vedvyas Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*