



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	26.04.2023; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, S BOLANG
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	25.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	26.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/321481	2137301514393	Sambari Kisan	50	F	Nasal Swab	26.04.2023	Negative	8763621261	Barghat Bonai
02	Cov/321482	2137301514399	Randai Hanga	34	F	Nasal Swab	26.04.2023	Negative	8280452840	B.Chapal Bonai
03	Cov/321483	2137301514406	Rakhi Badra	32	F	Nasal Swab	26.04.2023	Negative	8480766627	Dalki Bonai
04	Cov/321484	2137301514409	Naguri Badra	18	F	Nasal Swab	26.04.2023	Negative	9437247653	Dalki Bonai
05	Cov/321485	2137301514413	Prafulla Kishan	22	M	Nasal Swab	26.04.2023	Negative	6370857311	Dalki Bonai
06	Cov/321486	2137301514414	Namsi Munda	35	F	Nasal Swab	26.04.2023	Negative	9827419366	Bhadimara Bonai

Prepared by:

Hemanti

Hemanti Sabar

Checked and Approved by :

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR