



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	26.04.2023; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, SDH, BONAI
SPECIMEN DETAILS	
Date & Time of sample collection	25.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	26.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/321526	2137301514389	Jayaram Patra	31	M	Nasal Swab	26.04.2023	Negative	8895207038	Ghosara, Bonai
02	Cov/321527	2137301514438	Joshabanti Mahakul	76	F	Nasal Swab	26.04.2023	Negative	9438247575	Shardhapur, Lahuni para
03	Cov/321531	2137301514465	Subhashri Kishan	27	F	Nasal Swab	26.04.2023	Negative	6370815512	Thakurpali, Bonai
04	Cov/321532	2137301514470	Bijay Ku Mahakul	48	M	Nasal Swab	26.04.2023	Negative	7978046150	Shardhapur, Lahuni para
05	Cov/321534	2137301514489	Dayanidhi Pradhan	73	M	Nasal Swab	26.04.2023	Negative	9337310290	Jakeikela, Bonai
06	Cov/321535	2137301514494	Dayanidhi Patra	30	M	Nasal Swab	26.04.2023	Negative	9437442520	Ghosara, Bonai
07	Cov/321536	2137301514498	Samir Kishan	15	M	Nasal Swab	26.04.2023	Negative	7847960941	Bisipali, Bonai
08	Cov/321540	2137301514510	Bijay Munda	22	M	Nasal Swab	26.04.2023	Negative	8093837893	Bhaludunguri, Gurundia
09	Cov/321541	2137301514514	Sunita Dhibar	25	F	Nasal Swab	26.04.2023	Negative	7205325120	Akshyarsila, Barkote
10	Cov/321542	2137301514520	Dillip Ku Pradhan	53	M	Nasal Swab	26.04.2023	Negative	8260501943	Sihidia, Bonai
11	Cov/321543	2137301514524	Dillip Ku Dhar	49	M	Nasal Swab	26.04.2023	Negative	9438371591	Bonai, Bonai

Prepared by:

Hemanti

Hemanti Sabar

Checked and Approved by

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशित भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

)/

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated E any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 - specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR