



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	26.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	25.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/298822	2137301395547	Shreea Jain	12	F	Nasal Swab	26.08.2022	Negative	9437040996	EE-18 Civil Town Ship RKL
02	Cov/298823	2137301395551	Eyana Jain	17	F	Nasal Swab	26.08.2022	Negative	9437040996	EE-18 Civil Town Ship RKL
03	Cov/298824	2137301395558	Anjana Jain	42	F	Nasal Swab	26.08.2022	Negative	9437040996	EE-18 Civil Town Ship RKL
04	Cov/298825	2137301395586	Anup Lath	64	M	Nasal Swab	26.08.2022	Negative	9437046124	Uditnagar 3F-Shree Complex RKL
05	Cov/298826	2137301395567	Nabin Chakravarty	63	M	Nasal Swab	26.08.2022	Negative	9438484010	HIG-12 Ph-II Chhend Colony RKL
06	Cov/298827	2137301395572	Pitabass Chhotray	63	M	Nasal Swab	26.08.2022	Negative	9437042556	Panposh RKL
07	Cov/298828	2137301395574	Richard Anthony Vasavez Freire	49	M	Nasal Swab	26.08.2022	Negative	7682890332	Hotel Deepti RKL
08	Cov/298829	2137301395577	Yeray Pinel Barrachina	33	M	Nasal Swab	26.08.2022	Negative	7682890332	Hotel Deepti RKL
09	Cov/298830	2137301395580	Takahasih Ikko	44	M	Nasal Swab	26.08.2022	Negative	7381749006	Central Park RKL
10	Cov/298831	2137301395583	Ranjan Kumar Behera	39	M	Nasal Swab	26.08.2022	Negative	9438484010	HIG-12 Ph-2 Chhend Colony RKL
11	Cov/298832	2137301395585	Prakash Chandra Barik	42	M	Nasal Swab	26.08.2022	Negative	9438484010	HIG-12 Ph-2 Chhend Colony RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

डॉ. राजीव कुमार सेठ  
Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*