



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	26.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	24.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/305699	2137301424707	Dablu Kisan	19	M	Nasal Swab	26.09.2022	Negative	7077111216	Sankanta Dalki
2	Cov/305700	2137301424708	Ranjit Kisan	30	M	Nasal Swab	26.09.2022	Negative	7077111216	Sankanta Dalki
3	Cov/305701	2137301424711	Gulbadan Kisan	22	M	Nasal Swab	26.09.2022	Negative	9776145346	Sankanta Dalki
4	Cov/305702	2137301424714	Benu Kisan	22	M	Nasal Swab	26.09.2022	Negative	9938439035	Sankanta Dalki
5	Cov/305722	2137301425567	Roohi Bhaskar	3	F	Nasal Swab	26.09.2022	Negative	9960228216	DM House, Sonepur

Prepared by:

Krishna

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:

Rajeev

Dr. Rajeev Kumar Seth

डा. राजीव कुमार सेठ  
Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela