



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	26.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	25.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/305929	2137301425925	Debika Sarkar	76	F	Nasal Swab	26.09.2022	Negative	8488015573	Birmitrapur RKL
2	Cov/305930	2137301425927	Kesar Bahadur Gurung	69	M	Nasal Swab	26.09.2022	Negative	8338550677	Bondamunda RKL
3	Cov/305931	2137301425928	Markendeswar Suna	56	M	Nasal Swab	26.09.2022	Negative	7608948829	STI RKL SNG
4	Cov/305932	2137301425931	Raj Bhoi	22	M	Nasal Swab	26.09.2022	Negative	8280218097	Rajgangpur RKL
5	Cov/305933	2137301425933	Bhola Yadav	58	M	Nasal Swab	26.09.2022	Negative	8763160850	Malgodam RKL
6	Cov/305934	2137301425939	Sushil Kumar Kujur	62	M	Nasal Swab	26.09.2022	Negative	9437536062	Civil Town Ship RKL
7	Cov/305935	2137301425940	Balaram Singh	39	M	Nasal Swab	26.09.2022	Negative	7209302612	TCI RKL SNG
8	Cov/305936	2137301425942	Subas Kumar Soni	27	M	Nasal Swab	26.09.2022	Negative	7294969670	Barsloya Jharkhand
9	Cov/305937	2137301425945	Siv Lugun	30	M	Nasal Swab	26.09.2022	Negative	8260520669	Bisra RKL SNG
10	Cov/305938	2137301425948	Panchanan Jena	35	M	Nasal Swab	26.09.2022	Negative	8637238946	Netaji Nagar RKL
11	Cov/305939	2137301425950	Bhima Patra	33	M	Nasal Swab	26.09.2022	Negative	7978113178	Uditnagar RKL
12	Cov/305940	2137301425954	Rabi Paramanik	12	M	Nasal Swab	26.09.2022	Negative	9178219509	Daily Market RKL
13	Cov/305941	2137301425962	Narendar Singh	27	M	Nasal Swab	26.09.2022	Negative	9560939655	Civil Township RKL
14	Cov/305942	2137301425963	Budhi Majhi	15	F	Nasal Swab	26.09.2022	Negative	7735017643	Chandiposh SNG
15	Cov/305943	2137301425965	Sima Lohar	23	F	Nasal Swab	26.09.2022	Negative	7077452559	Badgaon SNG
16	Cov/305944	2137301425968	Sasmita Giri	21	F	Nasal Swab	26.09.2022	Negative	7328007055	Fertilizer RKL
17	Cov/305945	2137301425970	Dolly Devi	38	F	Nasal Swab	26.09.2022	Negative	9556114506	G B Palli RKL
18	Cov/305946	2137301425973	Susma Munda	18	F	Nasal Swab	26.09.2022	Negative	9437658643	Keojnjhar Badbil
19	Cov/305947	2137301425975	Sushila Singh	27	F	Nasal Swab	26.09.2022	Negative	7978345199	Jalda RKL SNG
20	Cov/305948	2137301425977	Halima Khatoon	56	F	Nasal Swab	26.09.2022	Negative	7033997393	Bhatitoli Simdega
21	Cov/305949	2137301425979	Padmasini Lohar	27	F	Nasal Swab	26.09.2022	Negative	9776885091	Jail Road RKL
22	Cov/305950	2137301425980	Nilimani Jojo	62	F	Nasal Swab	26.09.2022	Negative	6370536182	Raiboga SNG


23	Cov/305951	2137301425982	Anita Mahato	35	F	Nasal Swab	26.09.2022	Negative	7847816759	Bisra RKL SNG
24	Cov/305952	2137301425985	Mumtaj Begum	45	F	Nasal Swab	26.09.2022	Negative	7077744701	Bondamunda RKL

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Rajeev Kumar SETH
 डा. राजीव कुमार सेठ
 Dr. RAJEEV KUMAR SETH
 Consultant Microbiologist
 SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR