



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	26.10.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	25.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/311133	2137301447164	Sujata Bhoi	33	F	Nasal Swab	26.10.2022	Negative	9556265705	Jhar Tarang SNG
2	Cov/311134	2137301447169	Kirti Mani Kandulna	60	F	Nasal Swab	26.10.2022	Negative	9348796606	Kurlu Khaman RGP SNG
3	Cov/311135	2137301447174	Pratima Devi	42	F	Nasal Swab	26.10.2022	Negative	9556115725	Plant Site RKL
4	Cov/311136	2137301447183	Maheeban Begum	40	F	Nasal Swab	26.10.2022	Negative	7853880330	Sector 15 H/707 RKL
5	Cov/311137	2137301447187	Naman Babuta	18	M	Nasal Swab	26.10.2022	Negative	9937594945	Uditnagar RKL
6	Cov/311138	2137301447190	Lavani Pradhan	56	M	Nasal Swab	26.10.2022	Negative	8018927365	Labour Turnament RKL
7	Cov/311139	2137301447193	Abhishek Behera	17	M	Nasal Swab	26.10.2022	Negative	8260124781	Sector 6 RKL
8	Cov/311140	2137301447196	Alakh Devi	50	F	Nasal Swab	26.10.2022	Negative	9937931303	Basanti Colony RKL
9	Cov/311141	2137301447199	Bauri Nayak	62	M	Nasal Swab	26.10.2022	Negative	9178393994	Timber Colony RKL
10	Cov/311142	2137301447201	Avilasha Devi	60	F	Nasal Swab	26.10.2022	Negative	9040874272	Rajiv Basti RKL
11	Cov/311143	2137301447203	Prayag Das	65	M	Nasal Swab	26.10.2022	Negative	6371829428	Sector 21 RKL
12	Cov/311144	2137301447206	Suryakant Parnanik	38	M	Nasal Swab	26.10.2022	Negative	6371829428	Uditnagar RKL
13	Cov/311145	2137301447388	Ranjit Biswal	51	M	Nasal Swab	26.10.2022	Negative	9438049804	Uditnagar RKL SNG
14	Cov/311146	2137301447212	Adhir Jena	60	M	Nasal Swab	26.10.2022	Negative	9040607886	Sector 7 C Block 278 Infront RKL
15	Cov/311147	2137301447214	Haripal Badi	72	M	Nasal Swab	26.10.2022	Negative	9439797254	Intrapur Raiboga SNG
16	Cov/311148	2137301447217	Sandhiya Rani Barik	42	F	Nasal Swab	26.10.2022	Negative	9853085179	Gandhipali RKL
17	Cov/311149	2137301447218	Rakesh Kumar Barik	18	M	Nasal Swab	26.10.2022	Negative	9853085179	Gd Palli RKL
18	Cov/311150	2137301447220	Rukmani Devi	55	F	Nasal Swab	26.10.2022	Negative	8339081962	Simdega Jharkhand
19	Cov/311151	2137301447389	Pradeep Mahanta	25	M	Nasal Swab	26.10.2022	Negative	8260034128	Mandia Kudar RGP SNG
20	Cov/311152	2137301447222	Priyatosh Lenka	19	M	Nasal Swab	26.10.2022	Negative	8144007360	Sector 8 RKL
21	Cov/311153	2137301447302	Jagdish Patel	50	M	Nasal Swab	26.10.2022	Negative	9777907945	Shakti Nagar Bondamunda

22	Cov/311154	2137301447303	Darpani Kishan	42	F	Nasal Swab	26.10.2022	Negative	8249721094	Sawmill Vedyvas
23	Cov/311155	2137301447304	Dilshad Alam	35	M	Nasal Swab	26.10.2022	Negative	6371483533	Muslim Basti Kalunga
24	Cov/311156	2137301447306	Sudiksha Prasad	15	F	Nasal Swab	26.10.2022	Negative	9556890410	G B Palli Rourkela
25	Cov/311157	2137301447307	Suraj Prasad	23	M	Nasal Swab	26.10.2022	Negative	8249328682	Ms Palli Rourkela
26	Cov/311158	2137301447308	Udham Saw	35	M	Nasal Swab	26.10.2022	Negative	9090805797	G B Palli Rourkela
27	Cov/311159	2137301447309	Sanmati Tandi	50	F	Nasal Swab	26.10.2022	Negative	9583508168	Malgodam Rourkela
28	Cov/311160	2137301447311	Radha Barla	35	F	Nasal Swab	26.10.2022	Negative	7064234872	Bondamunda D Cabin
29	Cov/311161	2137301447312	Ahalya Ddungdung	16	F	Nasal Swab	26.10.2022	Negative	7008232519	Jagda Jhirpani RKL
30	Cov/311162	2137301447313	Silpa Minz	21	F	Nasal Swab	26.10.2022	Negative	9348682276	Bijadihi Bisra
31	Cov/311163	2137301447314	Tasil Bada	46	M	Nasal Swab	26.10.2022	Negative	7853861038	Badgaon SNG
32	Cov/311164	2137301447315	Ganesh Kalo	25	M	Nasal Swab	26.10.2022	Negative	7008556361	Bandha Bhui Tikayatpali
33	Cov/311165	2137301447316	Akash Mishra	22	M	Nasal Swab	26.10.2022	Negative	6370553807	ST5/3 ST Colony Near Station
34	Cov/311166	2137301447317	Himanshu Gupta	21	M	Nasal Swab	26.10.2022	Negative	9861689870	Vedvyas Rourkela
35	Cov/311167	2137301447318	Satyabrata Kandungo	25	M	Nasal Swab	26.10.2022	Negative	7008643856	Mandiakudar RGP
36	Cov/311168	2137301447319	Sittam Prasad	32	M	Nasal Swab	26.10.2022	Negative	9553064108	Vedvyas Mandir Road Rourkela
37	Cov/311169	2137301447320	Manish Thakur	22	M	Nasal Swab	26.10.2022	Negative	9337102564	Sector 1 Rourkela
38	Cov/311170	2137301447321	Tushar Khatua	36	M	Nasal Swab	26.10.2022	Negative	9777848699	B Tarang Rourkela
39	Cov/311171	2137301447323	Damayanti Ho	20	F	Nasal Swab	26.10.2022	Negative	9937522974	Sector 19 Rourkela
40	Cov/311172	2137301447324	Bikash Parmani	16	M	Nasal Swab	26.10.2022	Negative	9348000824	Uditnagar Rourkela
41	Cov/311173	2137301447365	Sadananda Sahoo	26	M	Nasal Swab	26.10.2022	Negative	8249978940	Sector 9 Rourkela
42	Cov/311174	2137301447367	Mamata Dash	45	F	Nasal Swab	26.10.2022	Negative	9178812933	Labour Colony Sector 22 RKL
43	Cov/311175	2137301447369	Roshan Prajapati	36	M	Nasal Swab	26.10.2022	Negative	8763904100	Balughat Rourkela

Prepared by:



Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela