



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	26.11.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	25.11.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.11.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/314644	2137301462582	Rabinarayan Dash	70	M	Nasal Swab	26.11.2022	Negative	9437083018	M-5 Chhend RKL
02	Cov/314645	2137301462586	Sujata Dash	60	F	Nasal Swab	26.11.2022	Negative	9437083018	M-5 Chhend RKL
03	Cov/314646	2137301462594	Heena Kauser	23	F	Nasal Swab	26.11.2022	Negative	9937887255	Mehtab Road RKL
04	Cov/314647	2137301462596	Nihar Ranjan Das	56	M	Nasal Swab	26.11.2022	Negative	8895500389	C-3 Sector-19 RKL
05	Cov/314648	2137301462599	Snigdha Mohanty	47	F	Nasal Swab	26.11.2022	Negative	8895500389	C-3 Sector-19 RKL
06	Cov/314649	2137301462652	Samiksha Sethi	15	F	Nasal Swab	26.11.2022	Negative	9620200589	C-145 Koelnagar RKL
07	Cov/314650	2137301462655	Ranjan Kumar	26	M	Nasal Swab	26.11.2022	Negative	8285235831	Sector-3 RKL
08	Cov/314651	2137301462657	Alekha Prasada	73	M	Nasal Swab	26.11.2022	Negative	9437502373	Shakti Nagar RKL
09	Cov/314652	2137301462658	Pratima Mohanty	71	F	Nasal Swab	26.11.2022	Negative	9437502373	Shakti Nagar RKL
10	Cov/314653	2137301462659	Partha Sarathi Sahoo	32	M	Nasal Swab	26.11.2022	Negative	9861562454	Panposh RKL
11	Cov/314654	2137301462660	Prabodh Ranjan Padhee	64	M	Nasal Swab	26.11.2022	Negative	9937004471	Koelnagar RKL
12	Cov/314655	2137301462661	Hemansu Kumar Tanty	30	M	Nasal Swab	26.11.2022	Negative	8884396165	E-149 Sector-20 RKL
13	Cov/314656	2137301462662	Yogesh Kumar Dalmia	64	M	Nasal Swab	26.11.2022	Negative	9937041281	Civil Township-7 RKL
14	Cov/314657	2137301462663	Biswajit Dora	28	M	Nasal Swab	26.11.2022	Negative	9439812782	C/471 Koelnagar RKL
15	Cov/314658	2137301462664	Catalin Radu	37	M	Nasal Swab	26.11.2022	Negative	9861121021	A-76 Sector-4 RKL
16	Cov/314659	2137301462665	Monalinsa Senapati	39	F	Nasal Swab	26.11.2022	Negative	9861121021	A-76 Sector-4 RKL
17	Cov/314660	2137301462666	Tanmaya Kumar Patel	36	M	Nasal Swab	26.11.2022	Negative	9437246230	Dandiapalli Dayanand Nagar RKL
18	Cov/314661	2137301462668	Abhilipsa Nayak	36	F	Nasal Swab	26.11.2022	Negative	9437246230	Dandiapalli Dayanand Nagar RKL
19	Cov/314662	2137301462688	Abhaya Kumar Pradhan	66	M	Nasal Swab	26.11.2022	Negative	7978215254	L-85/86 Chhend Colony RKL
20	Cov/314663	2137301462692	Bijaylaxmi Pradhan	62	F	Nasal Swab	26.11.2022	Negative	7978215254	L-85/86 Chhend Colony RKL

21	Cov/314664	2137301462694	Shrutiswarupa Routray	27	F	Nasal Swab	26.11.2022	Negative	7978215254	L-85/86 Chhend Colony RKL
22	Cov/314665	2137301462697	Simran Singh	27	M	Nasal Swab	26.11.2022	Negative	9040904080	C-17 Koelnagar RKL

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR