



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	26.12.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	24.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.12.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/316015	2137301473820	Mina Kumbhar	35	F	Nasal Swab	26.12.2022	Negative	8260627323	Tumran B Tarang SNG
2	Cov/316016	2137301473824	Jay Prakash Gupta	60	M	Nasal Swab	26.12.2022	Negative	6371146418	Kuarmunda SNG
3	Cov/316017	2137301473826	Umlan Kandulna	60	M	Nasal Swab	26.12.2022	Negative	9334383040	Birmitrapur SNG
4	Cov/316018	2137301473829	Anisha Majhi	20	F	Nasal Swab	26.12.2022	Negative	8926071087	Gopabandhu Palli RKL
5	Cov/316019	2137301473834	Sanat Kumar Nayak	45	M	Nasal Swab	26.12.2022	Negative	8280271178	LIC Colony RKL
6	Cov/316020	2137301473839	Dibyaraj Chhachan	65	M	Nasal Swab	26.12.2022	Negative	7873756463	Basanti Colony RKL
7	Cov/316021	2137301473842	Krishna Pandit	22	M	Nasal Swab	26.12.2022	Negative	7377866316	Gangadhar Palli RKL
8	Cov/316022	2137301473845	Mahaswer Samal	48	M	Nasal Swab	26.12.2022	Negative	7205348003	Balughat RKL
9	Cov/316023	2137301473850	Kumari Sahu	32	F	Nasal Swab	26.12.2022	Negative	9668115480	Mahuldhipa Lahunipada SNG
10	Cov/316024	2137301473854	Aryan Patra	17	M	Nasal Swab	26.12.2022	Negative	9692517818	Chhend RKL
11	Cov/316025	2137301473857	Phagu Kishan	54	M	Nasal Swab	26.12.2022	Negative	6372994736	Jalda B Block SNG
12	Cov/316026	2137301473861	Sagarika Nayak	28	F	Nasal Swab	26.12.2022	Negative	9348443351	Panposh RKL
13	Cov/316027	2137301473864	Rakhi Devi	45	F	Nasal Swab	26.12.2022	Negative	9692977133	Gurudinaara Road SNG
14	Cov/316028	2137301473866	Aruna Sahu	50	F	Nasal Swab	26.12.2022	Negative	8570829203	Malgodam RKL
15	Cov/316029	2137301473868	Ashish Nanda	59	M	Nasal Swab	26.12.2022	Negative	9937200942	Sector 16 RKL
16	Cov/316031	2137301473874	Sombari Tanty	55	F	Nasal Swab	26.12.2022	Negative	9348799532	Bondamunda RKL
17	Cov/316032	2137301473877	Jay Prakash Jha	42	M	Nasal Swab	26.12.2022	Negative	8144029117	Vedvyas RKL
18	Cov/316033	2137301473880	Mamta Bada Mohapatra	56	F	Nasal Swab	26.12.2022	Negative	6370511694	M/107 Chhend RKL
19	Cov/316034	2137301473916	Gobardhan Nag	85	M	Nasal Swab	26.12.2022	Negative	9348494330	Birmitrapur SNG
20	Cov/316035	2137301473918	Bablu Khan	30	M	Nasal Swab	26.12.2022	Negative	7788940083	Sector 20 Nehru Palli RKL
21	Cov/316036	2137301473921	Pail Sharma	48	F	Nasal Swab	26.12.2022	Negative	8637253806	Panposh RKL


22	Cov/316037	2137301473924	Anara Bibi	35	F	Nasal Swab	26.12.2022	Negative	9439428815	Sector 1 D/ 275 RKL
23	Cov/316038	2137301473979	Sai Samarth Puhan	9	M	Nasal Swab	26.12.2022	Negative	8847833132	STI Chowk RKL
24	Cov/316039	2137301473982	Nirupama Sahu	67	F	Nasal Swab	26.12.2022	Negative	6370302328	Sector 5 RKL
25	Cov/316040	2137301473984	Satyanarayan Batchha	47	M	Nasal Swab	26.12.2022	Negative	8658055516	Chhend RKL
26	Cov/316041	2137301473987	Shreshtha Shree Pradhan	2	F	Nasal Swab	26.12.2022	Negative	9853815388	Jagadhatri Basti RKL
27	Cov/316042	2137301474065	Radhashyam Ray	65	M	Nasal Swab	26.12.2022	Negative	7205712905	Basanti Colony Near Railway Gate
28	Cov/316043	2137301474066	Bibhu Prasad Sahoo	26	M	Nasal Swab	26.12.2022	Negative	9078360141	AI/28 Sector 6 RKL

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Rajeev Kumar Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
 Consultant Microbiologist
 SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*