

Test Report


| | |
|-----------------------------------------------------------------------|----------------------|
| Date and time of reporting (dd/mm/yyyy) : 12 hour format | 26/04/2021 |
| Address of the referring facility/Hospital | CDMO & PHO, ROULKELA |
| SPECIMEN DETAILS | |
| Date & Time of receipt of specimen at State VRDL, SCBMCH (dd/mm/yyyy) | 25/04/2021 |
| Condition of specimen received / Quality on arrival | Under cold chain |
| REPORTING DETAILS | |

| SL NO | Sample ID | Patient Name | Age | Gender | Specimen Type | Date of sample testing | Result 2019-nCoV RT PCR |
|-------|-------------|---------------------|-----|--------|---------------|------------------------|-------------------------|
| 1 | nCoV7L65776 | AYUSH DEY | 14 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L65777 | KISHORE KUMAR SINGH | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L65778 | BANSIDHAR BUDA | 38 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L65779 | ANIL SHAH | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L65780 | D PRASAD | 38 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L65781 | J KUJUR | 43 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L65782 | SAROJ ASCHARYA | 47 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L65783 | RUCHI SHAH | 32 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L65784 | SRIYA SHAH | 6 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L65785 | SEEMA KUMARI | 29 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L65786 | D TOSHIKA REDDY | 5 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L65787 | PAOULINA CHERUA | 38 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L65788 | RAIMANI MAHATO | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L65789 | ANITA SHAH | 39 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L65790 | SUNIL SHAH | 49 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L65791 | MANJULATA PANDEY | 33 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L65792 | ANITA ORAM | 21 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 18 | nCoV7L65793 | ARSEN BURH | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 19 | nCoV7L65794 | MRUTUNJAYA SINGH | 43 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 20 | nCoV7L65795 | SUNIL TIRKEY | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report


| | | | | | | | |
|----|-------------|--------------------|----|---|--------|------------|----------|
| 21 | nCoV7L65796 | LAXMAN MAHATO | 27 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 22 | nCoV7L65797 | PUJA MAHATO | 25 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 23 | nCoV7L65798 | SANTOSH KUJUR | 43 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 24 | nCoV7L65799 | ABHAYA KUMAR NAYAK | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 25 | nCoV7L65800 | ASHA NAYAK | 39 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 26 | nCoV7L65801 | RABINDRA XALXO | 34 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 27 | nCoV7L65802 | SHANTA CHAKRABATI | 44 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 28 | nCoV7L65803 | JITENDRA KUMAR | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 29 | nCoV7L65804 | REENA ORAM | 35 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 30 | nCoV7L65805 | ALOK ORAM | 8 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 31 | nCoV7L65806 | ROHAN ORAM | 11 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 32 | nCoV7L65807 | SEEMA EKKA | 17 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 33 | nCoV7L65808 | LAXMI EKKA | 25 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 34 | nCoV7L65809 | PADMINI SAHOO | 40 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 35 | nCoV7L65810 | JASPAR BARLA | 20 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 36 | nCoV7L65811 | RASHMITA PADHI | 21 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 37 | nCoV7L65812 | SASMITA PADHI | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 38 | nCoV7L65813 | SAROJ KUMAR PADHI | 49 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 39 | nCoV7L65814 | ANKIT KUMAR BARA | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |


GURUNDA

| | | | | | | | |
|----|-------------|-------------------|----|---|--------|------------|----------|
| 1 | nCoV7L65815 | BRUNDABAN KISHAN | 34 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L65816 | MAKARDHWAJ BAHALA | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L65817 | JAYANTI BAHALA | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L65818 | BASANTA BAHALA | 46 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L65819 | SAUDAMINI BAHALA | 24 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L65820 | NAKUL BAHALA | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L65821 | NIRASH BAHALA | 43 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L65822 | SANJUKTA SINGH | 51 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L65823 | SABITRI SINGH | 55 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L65824 | SABITA JOJO | 23 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L65825 | SIBLAN JOJO | 13 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L65826 | SANATANA JOJO | 8 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L65827 | RASH MERY JOJO | 10 | F | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Paresnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus


Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack


Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR- National Institute of Virology, Pune


Test Report

| | | | | | | | |
|----|-------------|--------------------|----|---|--------|------------|----------|
| 14 | nCoV7L65828 | DULARI SINGH | 56 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L65829 | JAGDISH CH SINGH | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L65830 | GANESWAR PRADHAN | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L65831 | JASABANTI EKKA | 23 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 19 | nCoV7L65833 | CHITA RANJAN SINGH | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 20 | nCoV7L65834 | PRATAP SINGH | 25 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 21 | nCoV7L65835 | JAGANNATH SINGH | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 22 | nCoV7L65836 | KUMAR MUNDA | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 23 | nCoV7L65837 | PARBATI MUNDA | 23 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 24 | nCoV7L65838 | NABIN KISHAN | 33 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 25 | nCoV7L65839 | BALAMATI KISHAN | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 26 | nCoV7L65840 | ADITYA KISHAN | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 27 | nCoV7L65841 | ARATI KISHAN | 5 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 28 | nCoV7L65842 | JALIAN KISHAN | 5 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 29 | nCoV7L65843 | SUMITA KISHAN | 25 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 30 | nCoV7L65844 | SANTOSINI KISHAN | 17 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 31 | nCoV7L65845 | BHUJ KISHAN | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 32 | nCoV7L65846 | SULI BAG | 27 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 33 | nCoV7L65847 | NATHA KISHAN | 40 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 34 | nCoV7L65848 | LINGARAJ MISHRA | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 35 | nCoV7L65849 | MADHUSMITA BARIK | 25 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 36 | nCoV7L65850 | MARIYAN MUNDA | 27 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 37 | nCoV7L65851 | PRATQP KU SAMAL | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 38 | nCoV7L65852 | PRIYARATA SAHU | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 39 | nCoV7L65853 | TIRASWAR SAHU | 63 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 40 | nCoV7L65854 | JAMUNA SAHU | 56 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 41 | nCoV7L65855 | KESARI SAHU | 22 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 42 | nCoV7L65856 | JOGENDRA SAHU | 58 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 43 | nCoV7L65857 | CHAKAN LAL | 18 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 44 | nCoV7L65858 | RAJESWARI SAHU | 46 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 45 | nCoV7L65859 | BHAGABAN KISHAN | 26 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 46 | nCoV7L65860 | SUBHASINI KISHAN | 48 | F | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. O. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| | | | | | | | |
|----|-------------|---------------------|----|---|--------|------------|----------|
| 47 | nCoV7L65861 | SONTOSH SINGH | 66 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 48 | nCoV7L65862 | INDUMATI SINGH | 56 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 49 | nCoV7L65863 | DEBRAJ SINGH | 7 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 50 | nCoV7L65864 | SIDHESHWAR SINGH | 12 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 51 | nCoV7L65865 | USHAKANTI SINGH | 33 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 52 | nCoV7L65866 | RAMESH | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 53 | nCoV7L65867 | BIJAYANI KUDU | 41 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 54 | nCoV7L65868 | NASIB BHAIKAL | 18 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 55 | nCoV7L65869 | BINOD BIHARI SINGH | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 56 | nCoV7L65870 | CHANDAN PATRA | 14 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 57 | nCoV7L65871 | SUSANTA KUMAR SINGH | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 58 | nCoV7L65872 | MAKARANDA PATRA | 65 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 59 | nCoV7L65873 | PURNIMA SINGH | 26 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 60 | nCoV7L65874 | BISHNUPRIYA JAISWAL | 46 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 61 | nCoV7L65875 | MANOJ KUMAR JHA | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 62 | nCoV7L65876 | PRITI JAISWAL | 16 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 63 | nCoV7L65877 | BIJAY KUMAR KISHAN | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 64 | nCoV7L65878 | JAYA KISAN | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 65 | nCoV7L65879 | SIVASANKAR BARIK | 16 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 66 | nCoV7L65880 | MADHAB KISAN | 16 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 67 | nCoV7L65881 | PRASANA | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 68 | nCoV7L65882 | BISAKHA KISAN | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 69 | nCoV7L65883 | ASISH SAHU | 29 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 70 | nCoV7L65884 | SUMITRA PATRA | 60 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 71 | nCoV7L65885 | LALU KISAN | 76 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 72 | nCoV7L65886 | KALKATI PATRA | 60 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 73 | nCoV7L65887 | DINA KISAN | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 74 | nCoV7L65888 | RABINDRA KISAN | 16 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 75 | nCoV7L65889 | PANA KISAN | 50 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 76 | nCoV7L65890 | PRAMILA KISHAN | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 77 | nCoV7L65891 | RANGOLI KISHAN | 18 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 78 | nCoV7L65892 | BANDANA SINGH | 58 | F | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| | | | | | | | |
|-----|-------------|-------------------|----|---|--------|------------|----------|
| 79 | nCoV7L65893 | JYOTI SINGH | 12 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 80 | nCoV7L65894 | CHAKILA JAYPURIA | 43 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 81 | nCoV7L65895 | MANBODH SINGH | 74 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 82 | nCoV7L65896 | DEEPTIMAYEE SINGH | 17 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 83 | nCoV7L65897 | BABITA SINGH | 18 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 84 | nCoV7L65898 | SUMATI SINGH | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 85 | nCoV7L65899 | BARATA SINGH | 70 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 86 | nCoV7L65900 | DEBENDRA SINGH | 54 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 87 | nCoV7L65901 | ROHIT SINGH | 15 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 88 | nCoV7L65902 | NARENDRA ROUT | 37 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 89 | nCoV7L65903 | ADHIN SINGH | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 90 | nCoV7L65904 | PADMABATI PATRA | 38 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 91 | nCoV7L65905 | BANITA PATRA | 17 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 92 | nCoV7L65906 | BABITA PATRA | 15 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 93 | nCoV7L65907 | DHURBA CH NAYAK | 65 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 94 | nCoV7L65908 | DUTIKA NAYAK | 25 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 95 | nCoV7L65909 | OMM PRAKASH NAIK | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 96 | nCoV7L65910 | KUMAR MANI PATRA | 50 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 97 | nCoV7L65911 | SIKHA SING | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 98 | nCoV7L65912 | CHANDAN JAYPURIA | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 99 | nCoV7L65913 | UDHAV SINGH | 3 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 100 | nCoV7L65914 | MANJULATA SINGH | 44 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 101 | nCoV7L65915 | ANAR RAY | 55 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 102 | nCoV7L65916 | ADITYA RAY | 13 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 103 | nCoV7L65917 | RINEY RAY | 35 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 104 | nCoV7L65918 | SANJAY RAY | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 105 | nCoV7L65919 | BADAL KU RAY | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 106 | nCoV7L65920 | PINKEY RAY | 42 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 107 | nCoV7L65921 | PUNYABAN LUHA | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 108 | nCoV7L65922 | DUSMANTA BAGH | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 109 | nCoV7L65923 | JAYKRISHNA NAYAK | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 110 | nCoV7L65924 | MAHADEV GAHIR | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-


- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| | | | | | | | |
|-----|-------------|---------------------|----|---|--------|------------|----------|
| 111 | nCoV7L65925 | PADU MAJHI | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 112 | nCoV7L65926 | MINAKETAN BHOI | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 113 | nCoV7L65927 | KSHITISH SINGH | 32 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 114 | nCoV7L65928 | DAMBARUDHAR NAYAK | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 115 | nCoV7L65929 | MAHENDRA KU SAHU | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 116 | nCoV7L65930 | JAGABANDHU SAHU | 10 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 117 | nCoV7L65931 | MD ROHIT ALAM | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 118 | nCoV7L65932 | RAJIB TIRKEY | 25 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 119 | nCoV7L65933 | KAUSALYA SINGH | 34 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 120 | nCoV7L65934 | GAJRAJ SINGH | 70 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 121 | nCoV7L65935 | RAGHUBAR SINGH | 62 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 122 | nCoV7L65936 | JAGANNATH SINGH | 32 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 123 | nCoV7L65937 | HARIBAKAL SINGH | 4 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 124 | nCoV7L65938 | BILASA SINGH | 70 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 125 | nCoV7L65939 | BILASA SINGH | 65 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 126 | nCoV7L65940 | CHANDRABATI SINGH | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 127 | nCoV7L65941 | BIDYABATI SINGH | 50 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 128 | nCoV7L65942 | JANAKA SINGH | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 129 | nCoV7L65943 | KAUSALYA SINGH | 50 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 130 | nCoV7L65944 | PRADEEP KU SINGH | 37 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 131 | nCoV7L65945 | SANKAR SINGH | 50 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 132 | nCoV7L65946 | BALMATI SINGH | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 133 | nCoV7L65947 | GITANJALI SINGH | 11 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 134 | nCoV7L65948 | RAJESWAR SINGH | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 135 | nCoV7L65949 | BIBHUTIBHUSAN SINGH | 25 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 136 | nCoV7L65950 | BHIM SINGH | 14 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 137 | nCoV7L65951 | BAMANI SINGH | 72 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 138 | nCoV7L65952 | NARENDRA SINGH | 47 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 139 | nCoV7L65953 | SANJIB KUMAR SINGH | 17 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 140 | nCoV7L65954 | SOUMYA RANJAN SINGH | 12 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 141 | nCoV7L65955 | SAKUNTALA SINGH | 44 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 142 | nCoV7L65956 | BIRASINI PATEL | 50 | F | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus


Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack


Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| | | | | | | | |
|-----|-------------|----------------------|----|---|--------|------------|----------|
| 143 | nCoV7L65957 | ANIL KUMAR SINGH | 17 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 144 | nCoV7L65958 | RAHULRAI SINGH | 20 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 145 | nCoV7L65959 | AMITAB SINGH | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 146 | nCoV7L65960 | DEOKARAN SINGH | 17 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 147 | nCoV7L65961 | RASHMI SINGH | 22 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 148 | nCoV7L65962 | SAMPATI SINGH | 49 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 149 | nCoV7L65963 | RAJIBLOCHAN SINGH | 39 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 150 | nCoV7L65964 | HALADHARA SINGH | 69 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 151 | nCoV7L65965 | RUPCHAND SINGH | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 152 | nCoV7L65966 | ANANYA SINGH | 9 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 153 | nCoV7L65967 | PADAMABATI SINGH | 46 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 154 | nCoV7L65968 | LABANYA SINGH | 15 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 155 | nCoV7L65969 | SABITRI SINGH | 60 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 156 | nCoV7L65970 | NANDINI SINGH | 9 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 157 | nCoV7L65971 | CHANDRIKA SINGH | 13 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 158 | nCoV7L65972 | HIRABATI SINGH | 37 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 159 | nCoV7L65973 | AJOMBAR SINGH | 17 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 160 | nCoV7L65974 | KAMAL SINGH | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 161 | nCoV7L65975 | PHULA SINGH | 32 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 162 | nCoV7L65976 | BHIMA SINGH | 18 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 163 | nCoV7L65977 | KHIROD CHANDRA SINGH | 18 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 164 | nCoV7L65978 | JITENDRA SINGH | 65 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 165 | nCoV7L65979 | ABIBAR SINGH | 58 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 166 | nCoV7L65980 | MAHESWARI SINGH | 21 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 167 | nCoV7L65981 | MOTU MUNDA | 36 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 168 | nCoV7L65982 | SURJIT MUNDA | 16 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 169 | nCoV7L65983 | FULMANI MUNDA | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 170 | nCoV7L65984 | SANDIP MUNDA | 11 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 171 | nCoV7L65985 | MICKEL TIRKEY | 8 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 172 | nCoV7L65986 | SURENDRA SINGH | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 173 | nCoV7L65987 | FULMANI SINGH | 58 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 174 | nCoV7L65988 | PADMABATI SINGH | 27 | F | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-


- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| LAING | | | | | | | |
|----------------|-------------|--------------------|----|---|--------|------------|----------|
| 1 | nCoV7L65989 | SRIMANT PAUL | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L65990 | ANJALI MAYURI | 26 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L65991 | CHANDAN KANTA | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L65992 | M D SAFUDDIN | 54 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L65993 | KHIRODHAR SETH | 59 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L65994 | B B MISHRA | 47 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L65995 | S B MISHRA | 54 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L65996 | SUKANTI KUAR | 37 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L65997 | BARENDRA NANDA | 26 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L65998 | MANTU GOPE | 13 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L65999 | SUKHADEUO NANDA | 54 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L66000 | SABITRI NANDA | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L66001 | PREMKANT NANDA | 19 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L66002 | DEBANAND ANALA | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L66003 | BIKASH ANALA | 18 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L66004 | RUPA ANALA | 53 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L66005 | PRADEEP PATRA | 32 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 18 | nCoV7L66006 | ARCHIT PATRA | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| CHC, KUARMUNDA | | | | | | | |
| 1 | nCoV7L66007 | KRUTIBASA PANDA | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L66008 | AKASH XESS | 20 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L66009 | DHIRENDRA BISWAL | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L66010 | BABULU SAHOO | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L66011 | DIBYA DUNG DUNG | 22 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L66012 | GYANARANJAN SAHU | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L66013 | ROSHAN KU NAYAK | 34 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L66014 | USHA MINZ | 26 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L66015 | BIJAY BISI | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L66016 | ABHINAS DUNG DUNG | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| LAHUNIPARA | | | | | | | |
| 1 | nCoV7L66017 | GOLBDAAN SAHU | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L66018 | SATYANANDA MAHANTA | 44 | M | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus


Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack


Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR- National Institute of Virology, Pune

Test Report


| | | | | | | | |
|----|-------------|--------------------|----|---|--------|------------|----------|
| 3 | nCoV7L66019 | DEEPAK KUMAR SAHU | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L66020 | LAXMIKANTA SWARUP | 32 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L66021 | JAYRAM KISHAN | 67 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L66022 | RATHU MAHANTA | 66 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L66023 | GOPINATH MAHANTA | 36 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L66024 | SUBASINI RAHIDAS | 30 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L66025 | RANJIT PATRA | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L66026 | BUDHUA MUNDA | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L66027 | PANCHANAN SAHU | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L66028 | UMESH YADAV | 31 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L66029 | PRAFULLA MOHAPATRA | 57 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L66030 | RANJAN KISHAN | 27 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L66031 | RAHUL BERMA | 19 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L66032 | AJAY THAKUR | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L66033 | SUMIT AGARWAL | 21 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 18 | nCoV7L66034 | KAILASH MAHANTA | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 19 | nCoV7L66035 | BUDHADEB MAHANTA | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 20 | nCoV7L66036 | REENA KISHAN | 32 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 21 | nCoV7L66037 | RAMESH KUMAR | 41 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 22 | nCoV7L66038 | MANJU KUMARI | 33 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 23 | nCoV7L66039 | BANDHU MUNDARI | 32 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 24 | nCoV7L66040 | SANTI JAISWAL | 65 | F | NPS/TS | 26.04.2021 | NEGATIVE |


KOIDA

| | | | | | | | |
|----|-------------|-----------------------|----|---|--------|------------|----------|
| 1 | nCoV7L66041 | LALTUN YADAV | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L66042 | BHARATI MAHANTA | 31 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L66043 | CHITRANSI MAHANTA | 3 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L66044 | NAITIK MAHANATA | 10 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L66045 | PURUSOTTAM BEHERA | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L66046 | DEBENDRA PRADHAN | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L66047 | JAGARNATH SATPATHY | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L66048 | PRABEL MAITI | 48 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L66049 | SMRUTI RANJAN PRADHAN | 27 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L66050 | CHITRASEN PRADHAN | 29 | M | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus


Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack


Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR- National Institute of Virology, Pune


Test Report

| | | | | | | | |
|----|-------------|----------------------------|----|----|--------|------------|----------|
| 11 | nCoV7L66051 | SIRAPANI MAHNATA | 44 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L66052 | BIJAY KUMAR JENA | 56 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L66053 | SUMITRA JENA | 50 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L66054 | JAIPRIYA JENA | 30 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L66055 | BINATA BHOL | 26 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L66056 | RAJESH KUMAR SAMAL | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L66057 | AJAYA KUMAR | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 18 | nCoV7L66058 | TUSARKANTA SAHU | 31 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 19 | nCoV7L66059 | ASISH REDY | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 20 | nCoV7L66060 | RISHAB RANJAN | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 21 | nCoV7L66061 | ARUN KUMAR BISWAL | 33 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 22 | nCoV7L66062 | SUBRAT MUDULI | 31 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 23 | nCoV7L66063 | LANKESWAR PRADHAN | 26 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 24 | nCoV7L66064 | BIJAY KUMAR DAS | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 25 | nCoV7L66065 | SHYAMPRAKASH DUBE | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 26 | nCoV7L66066 | SUSHIL KUMAR SAHU | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 27 | nCoV7L66067 | TUNA SAHU | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 28 | nCoV7L66068 | PAPUN KUMAR SAHU | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 29 | nCoV7L66069 | RABINDRA DAS | 27 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 30 | nCoV7L66070 | SIBPRAKASH DUBE | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 31 | nCoV7L66071 | DURGA SINGH RATHOR | 25 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 32 | nCoV7L66072 | BALARAM JHA | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 33 | nCoV7L66073 | BIKRAM DANGARA | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 34 | nCoV7L66074 | DHRAJ DUBE | 26 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 35 | nCoV7L66075 | SHASI RANJAN KUMAR | 38 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 36 | nCoV7L66076 | SOURAV MAITI | 28 | MN | NPS/TS | 26.04.2021 | NEGATIVE |
| 37 | nCoV7L66077 | SMRUTI RANJAN MOHAPATRA | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 38 | nCoV7L66078 | SOUMYA PRAKSH PANDA | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 39 | nCoV7L66079 | BADRI NARAYAN MISHRA | 22 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 40 | nCoV7L66080 | LALIT MOHAN DAS | 28 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 41 | nCoV7L66081 | BIDYUT KUMAR DA | 32 | M | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-


- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| 42 | nCoV7L66082 | ADYASMITA JENA | 7 | F | NPS/TS | 26.04.2021 | NEGATIVE |
|---------|-------------|-----------------------|----|---|--------|------------|----------|
| BIRKERA | | | | | | | |
| 1 | nCoV7L66087 | BHAWANI SHANKAR MAJHI | 43 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L66102 | ROJALIN TIGGA | 41 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L66099 | MANUEL TIRKEY | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L66098 | RAHIL HORO | 41 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L66103 | PRAFULLA XESS | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L66108 | MUKESH TIRKEY | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L66109 | SADANAND TIRKEY | 46 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L66105 | SANGEETA KERKETTA | 43 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L66104 | ISHA KERKETTA | 15 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L66091 | USHA BADAIAK | 23 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L66092 | JANKI BADAIAK | 40 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L66097 | DOLARANJAN DASH | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L66100 | DULESAR DASH | 62 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L66090 | DHARAM PRAKASH XESS | 49 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L66095 | SUPRIYA XESS | 18 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L66085 | SUSMITA JATARMA | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L66106 | SUSMA LALI SAMAD | 44 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 18 | nCoV7L66084 | AKASH HORO | 7 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 19 | nCoV7L66094 | JHONSON HORO | 29 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 20 | nCoV7L66086 | SADANAND KISHAN | 52 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 21 | nCoV7L66112 | SUKRL KISHAN | 40 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 22 | nCoV7L66089 | RISTADASH KERKETTA | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 23 | nCoV7L66093 | RAJENDRA SINGH | 36 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 24 | nCoV7L66096 | GABRIAL EKKA | 62 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 25 | nCoV7L66083 | INDRAJIT XESS | 47 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 26 | nCoV7L66110 | KISHOR SORENG | 33 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 27 | nCoV7L66101 | ANGEL KERKETTA | 7 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 28 | nCoV7L66088 | PRAFUL SORENG | 20 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 29 | nCoV7L66116 | PUSHPA BARA | 48 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 30 | nCoV7L66132 | BIRAJ MANESWARI | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 31 | nCoV7L66142 | NARENDRA KUMAR DASH | 52 | M | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Pareshnath Mohanty
 MBBS, M.D.
 Consultant Microbiologist
 ATD & TC, Cuttack
 SCBMCH Campus


 Associate Professor
 Dept. of Biochemistry
 SCB Medical College, Cuttack


 Professor & Head
 Department of Microbiology
 S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR- National Institute of Virology, Pune


Test Report

| | | | | | | | |
|----|-------------|--------------------|----|---|--------|------------|----------|
| 32 | nCoV7L66136 | BASIL LAKRA | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 33 | nCoV7L66145 | BIKASH KUMAR GUDIA | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 34 | nCoV7L66135 | K K SHARMA | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 35 | nCoV7L66115 | BINOD TIRKEY | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 36 | nCoV7L66143 | SUMITRA TIRKEY | 43 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 37 | nCoV7L66126 | BIRBAL BADAIAK | 56 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 38 | nCoV7L66130 | PRAMILA SHARMA | 38 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 39 | nCoV7L66160 | RAGHU BARA | 50 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 40 | nCoV7L66133 | SUKRU KISHAN | 37 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 41 | nCoV7L66134 | AMAN KU DHAL | 31 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 42 | nCoV7L66165 | JULI KISHAN | 27 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 43 | nCoV7L66149 | SHANTI KISHAN | 6 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 44 | nCoV7L66140 | SOMIK KISHAN | 2 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 45 | nCoV7L66166 | SIMON BECK | 44 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 46 | nCoV7L66123 | ALBISIA BECK | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 47 | nCoV7L66113 | NILSON KUJUR | 37 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 48 | nCoV7L66146 | RASLI KERKETTA | 46 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 49 | nCoV7L66119 | WILSON KERKETTA | 56 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 50 | nCoV7L66141 | JUGAL TIRKEY | 55 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 51 | nCoV7L66124 | MONIKA BARA | 23 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 52 | nCoV7L66152 | MANJU XALXO | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 53 | nCoV7L66139 | PUSPIKA KERKETTA | 49 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 54 | nCoV7L66122 | NIRMANI NAG | 55 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 55 | nCoV7L66150 | PRASANTH KERKETTA | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 56 | nCoV7L66148 | MARTIN EKKA | 40 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 57 | nCoV7L66154 | BANDHANA MAHALI | 50 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 58 | nCoV7L66158 | MANGAL XALXO | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 59 | nCoV7L66155 | RAKESH EKKA | 27 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 60 | nCoV7L66156 | MANGLA KISHAN | 26 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 61 | nCoV7L66162 | RAZARAM SAHU | 58 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 62 | nCoV7L66114 | SUDAM MOHAPATRA | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 63 | nCoV7L66161 | CHAWA TIRKEY | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 64 | nCoV7L66128 | PRAFUL KUMAR LAKRA | 80 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 65 | nCoV7L66151 | PREMSILA LAKRA | 32 | F | NPS/TS | 26.04.2021 | NEGATIVE |


Checked and Approved by



Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus



Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack



Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report


| | | | | | | | |
|----|-------------|-------------------|----|---|--------|------------|----------|
| 66 | nCoV7L66117 | ARJUN LAKRA | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 67 | nCoV7L66120 | MINATI NAG | 28 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 68 | nCoV7L66131 | SUBIR KU ACHARYA | 33 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 69 | nCoV7L66125 | ASHIQ MINZ | 14 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 70 | nCoV7L66138 | SRIKANTH MAHATO | 6 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 71 | nCoV7L66118 | TARCITIUS EKKA | 76 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 72 | nCoV7L66163 | KUNTRAJ EKKA | 45 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 73 | nCoV7L66144 | ASHREN KUJUR | 24 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 74 | nCoV7L66129 | SUSHANT MINZ | 33 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 75 | nCoV7L66147 | BIJAY KUMAR BARA | 38 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 76 | nCoV7L66159 | SANTOSH KU KALO | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 77 | nCoV7L66160 | KARAN SARDAR | 25 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 78 | nCoV7L66153 | IGNESH CHANDEL | 50 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 79 | nCoV7L66121 | JULIA KISHAN | 50 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 80 | nCoV7L66127 | PATEL KISHAN | 29 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 81 | nCoV7L66157 | JYOTIPRAKASH DASH | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 82 | nCoV7L66159 | SUJATA PANIGRAHI | 37 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 83 | nCoV7L66137 | NILANJANA DASH | 7 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 84 | nCoV7L66164 | SANGEETA BIRWA | 26 | F | NPS/TS | 26.04.2021 | NEGATIVE |


CHC- BIRMITRAPUR

| | | | | | | | |
|----|-------------|---------------------|----|---|--------|------------|----------|
| 1 | nCoV7L66167 | LALIT KUMAR TULSYAN | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L66168 | BANAMALI NAIK | 53 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L66169 | ASHISH MITTAL | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L66170 | RICHA SINHA | 32 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L66171 | SUMIT SINGHAL | 35 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L66172 | PANCHU BARIK | 53 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L66173 | ASHOK MITTAL | 59 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L66174 | RONAK TULSYAN | 31 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L66175 | PRAMEEN PANDA | 16 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L66176 | PRAHALLAD SAHOO | 52 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L66177 | FUL KUMARI EKKA | 53 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L66178 | DOMINICA BODRA | 60 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L66179 | KISHOR KUMAR SUNANI | 42 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L66180 | BRIDHI CHAND XALXO | 40 | M | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus


Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack


Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-


- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

| | | | | | | | |
|-----------------|-------------|---------------------|----|---|--------|------------|----------|
| 15 | nCoV7L66181 | RASHMITA SAMAD | 19 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L66182 | GHIRIT KUMAR SAHOO | 23 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L66183 | BASANTI DEVI | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| CHC- RAJGANGPUR | | | | | | | |
| 1 | nCoV7L66184 | JUDHISTHIR SARPATIA | 69 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 2 | nCoV7L66185 | ASHA BADAIAK | 45 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 3 | nCoV7L66186 | BILASI HORO | 51 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 4 | nCoV7L66187 | JESIKA HORO | 23 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 5 | nCoV7L66188 | RADHA KISHAN | 32 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 6 | nCoV7L66189 | BAHAMANI BAGE | 46 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 7 | nCoV7L66190 | ARIHANT BOTHRA | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 8 | nCoV7L66191 | SUNITA BOTHRA | 54 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 9 | nCoV7L66192 | RADHAKANTA TRIPATHY | 29 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 10 | nCoV7L66193 | ITISHREE TRIPATHY | 27 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 11 | nCoV7L66194 | JAMUNA BADHEI | 41 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 12 | nCoV7L66195 | SANJAY KUMAR SINGH | 52 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 13 | nCoV7L66196 | SAROJ KUMAR MALLICK | 46 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 14 | nCoV7L66197 | SUBASHISH TRIPATHY | 44 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 15 | nCoV7L66198 | BIBEK BISWAKARMA | 30 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 16 | nCoV7L66199 | PRATIMA RAY | 58 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 17 | nCoV7L66200 | SANTOSH AGRAWAL | 47 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 18 | nCoV7L66201 | PUNAM MUKHI | 31 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 19 | nCoV7L66202 | SABITA BARIK | 55 | F | NPS/TS | 26.04.2021 | NEGATIVE |
| 20 | nCoV7L66203 | SAMBHU SINGH | 36 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 21 | nCoV7L66204 | NITYA GOPALA KUNDU | 78 | M | NPS/TS | 26.04.2021 | NEGATIVE |
| 22 | nCoV7L66205 | PAWAN KU DHANANIA | 60 | M | NPS/TS | 26.04.2021 | NEGATIVE |

Checked and Approved by


Dr. Pareshnath Mohanty
MBBS, M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus


Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack


Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeatsampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. Therepeatspecimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune