



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	27.03.2023; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	26.03.2023; 09:00 A.M.
Date & Time of receipt of specimen	27.03.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/319451	2137301499929	SIMA GOUD	27	F	Nasal Swab	27.03.2023	Negative	7894211136	B TARANG JHARTARANG
02	Cov/319452	2137301499930	BABLU KUMAR SINGH	34	M	Nasal Swab	27.03.2023	Negative	7257820589	VEDVYAS ROURKELA
03	Cov/319453	2137301499931	JOSEPH HEMBRAM	70	M	Nasal Swab	27.03.2023	Negative	9777367499	RANIBANDH RAJGANGPUR
04	Cov/319454	2137301499932	BANDIK DANG	62	M	Nasal Swab	27.03.2023	Negative	8144351614	PURNAPANI HATIBARI
05	Cov/319455	2137301499933	RAJESH NAG	43	M	Nasal Swab	27.03.2023	Negative	7608847527	SECTOR 22 ROURKELA
06	Cov/319456	2137301499934	RAMESWAR SINGH	42	M	Nasal Swab	27.03.2023	Negative	7008994684	B TARANG VEDVYAS
07	Cov/319457	2137301499935	CHAMPA BHUMIJ	62	M	Nasal Swab	27.03.2023	Negative	8249242554	GUNDBALI LUAKERA
08	Cov/319458	2137301499936	PINTU PARMANIK	32	M	Nasal Swab	27.03.2023	Negative	8555987782	CIVILTOWNSHIP RKL

Prepared by:

Checked and Approved by:

Hemanti Sabar

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR