



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela


COVID-19 (RT-PCR) Test Report

Date and time of reporting	27.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, HATIBARI
SPECIMEN DETAILS	
Date & Time of sample collection	26.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	27.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/321622	2137301515581	Barsha Tigga	9	F	Nasal Swab	27.04.2023	Negative	9178600461	Mangratoli Hatibari
2	Cov/321623	2137301515582	Bhumi Routh	9	F	Nasal Swab	27.04.2023	Negative	8280452291	Mangratoli Purnapani
3	Cov/321624	2137301515583	Simron Ekka	12	F	Nasal Swab	27.04.2023	Negative	8093658564	Mangratoli Hatibari
4	Cov/321625	2137301515584	Jayram Lakra	15	M	Nasal Swab	27.04.2023	Negative	7008518470	Mangratoli Hatibari
5	Cov/321626	2137301515585	Sukurmani Kinjiria	58	F	Nasal Swab	27.04.2023	Negative	8280452271	Olhani Hatibari
6	Cov/321627	2137301515462	Aditya Badaik	15	M	Nasal Swab	27.04.2023	Negative	9178600476	Kabibasti Purnapani
7	Cov/321628	2137301515466	Balgobind Das	50	M	Nasal Swab	27.04.2023	Negative	9556288142	Hatibari Hatibari
8	Cov/321629	2137301515469	Binapani Mishra	50	F	Nasal Swab	27.04.2023	Negative	9437838027	Hatibari Hatibari
9	Cov/321630	2137301515471	Drupadi Ganjhu	37	F	Nasal Swab	27.04.2023	Negative	9556063886	Purnapani Purnapani
10	Cov/321631	2137301515476	Sanjit Kairi	29	M	Nasal Swab	27.04.2023	Negative	9668719474	Donia Karanjia
11	Cov/321633	2137301515482	Md Firdosh	26	M	Nasal Swab	27.04.2023	Negative	7482879633	Baidyanathpur Hatibari
12	Cov/321634	2137301515486	Bholanath Pradhan	68	M	Nasal Swab	27.04.2023	Negative	8280452287	Potab Hatibari
13	Cov/321636	2137301515491	Narmi Soy	40	F	Nasal Swab	27.04.2023	Negative	9777404656	Bhojpur Purnapani
14	Cov/321637	2137301515544	Albina Tirkey	23	F	Nasal Swab	27.04.2023	Negative	7854099617	Mangratoli Hatibari
15	Cov/321638	2137301515555	Jhidu Tirkey	46	M	Nasal Swab	27.04.2023	Negative	8658444390	Mangratoli Hatibari
16	Cov/321639	2137301515556	Boulo Kinjiria	23	F	Nasal Swab	27.04.2023	Negative	9556997438	Mangratoli Hatibari
17	Cov/321640	2137301515558	Monoj Kumar Badaik	30	M	Nasal Swab	27.04.2023	Negative	9337800429	Mangratoli Hatibari
18	Cov/321641	2137301515559	Laxman Badaik	57	M	Nasal Swab	27.04.2023	Negative	9337800429	Olhani Hatibari
19	Cov/321642	2137301515560	Sunita Badaik	35	F	Nasal Swab	27.04.2023	Negative	8457832333	Olhani Hatibari
20	Cov/321643	2137301515561	Ashmit Lakra	12	M	Nasal Swab	27.04.2023	Negative	8280452291	Olhani Hatibari
21	Cov/321644	2137301515562	Rahul Lakra	13	M	Nasal Swab	27.04.2023	Negative	7477056119	Olhani Hatibari

22	Cov/321645	2137301515563	Rajni Bag	23	F	Nasal Swab	27.04.2023	Negative	8018593694	Olhani Hatibari
23	Cov/321646	2137301515564	Sangeeta Munda	23	F	Nasal Swab	27.04.2023	Negative	9348065366	Podhatola Olhani
24	Cov/321647	2137301515567	Komla Behera	45	F	Nasal Swab	27.04.2023	Negative	8280452271	Olhani Hatibari
25	Cov/321648	2137301515568	Kosti Sahoo	39	F	Nasal Swab	27.04.2023	Negative	9439782669	Olhani Hatibari
26	Cov/321650	2137301515573	Palavi Panda	27	F	Nasal Swab	27.04.2023	Negative	8249128883	Rajabasti Hatibari
27	Cov/321651	2137301515577	Sibanti Minz	32	F	Nasal Swab	27.04.2023	Negative	7328057463	Rajabasti Hatibari
28	Cov/321652	2137301515578	Gouri Sahoo	13	F	Nasal Swab	27.04.2023	Negative	9439782669	Olhani Hatibari
29	Cov/321653	2137301515580	Raimuni Sahoo	50	F	Nasal Swab	27.04.2023	Negative	9938291750	Olhani Hatibari

Prepared by:



Hemanti Sabar

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR