



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela


COVID-19 (RT-PCR) Test Report

Date and time of reporting	27.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, LAHUNIPARA, S BOLANG, SDH, BONAI
SPECIMEN DETAILS	
Date & Time of sample collection	26.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	27.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/321672	2137301514327	Subham Bargarti	17	M	Nasal Swab	27.04.2023	Negative	7205826955	Darjing
2	Cov/321674	2137301514341	Pritam Mahakul	13	M	Nasal Swab	27.04.2023	Negative	7848857769	Darjing
3	Cov/321675	2137301514344	Asha Mundari Orm	25	F	Nasal Swab	27.04.2023	Negative	8480327336	Kamrposh
4	Cov/321676	2137301514350	Dura Kishan	50	F	Nasal Swab	27.04.2023	Negative	8144330248	Kenapali
5	Cov/321677	2137301514355	Jatish Hembram	14	M	Nasal Swab	27.04.2023	Negative	9827158106	Badrama
6	Cov/321678	2137301515325	Benudhar Kishan	50	M	Nasal Swab	27.04.2023	Negative	7655829207	Brahmindhar,Lahunipara
7	Cov/321679	2137301515333	Pankajini Mishra	69	F	Nasal Swab	27.04.2023	Negative	9668814620	Bonai,Bonai
8	Cov/321680	2137301515338	Sudhir Ku Naik	42	M	Nasal Swab	27.04.2023	Negative	9437552057	Kala,Barkote
9	Cov/321681	2137301515341	Bijay Mahanta	30	M	Nasal Swab	27.04.2023	Negative	7653959830	Deogaon,Bonai
10	Cov/321682	2137301515346	Jadumani Kishan	27	M	Nasal Swab	27.04.2023	Negative	6372154068	Bonai,Bonai
11	Cov/321683	2137301515353	Kartik Naik	20	M	Nasal Swab	27.04.2023	Negative	8457964075	Bonai,Bonai
12	Cov/321684	2137301515359	Lipika Sahu	27	F	Nasal Swab	27.04.2023	Negative	7008851250	Bonai,Bonai
13	Cov/321685	2137301515365	Indramani Pradhan	77	M	Nasal Swab	27.04.2023	Negative	9668242755	Sendhpur,Bonai
14	Cov/321687	2137301515378	Niket Kumar	29	M	Nasal Swab	27.04.2023	Negative	8121545163	Khandadhar,Lahunipara
15	Cov/321688	2137301515385	Sandhyarani Tripathy	47	F	Nasal Swab	27.04.2023	Negative	9438012231	Dareikela,Bonai
16	Cov/321689	2137301515389	Guru Naik	47	M	Nasal Swab	27.04.2023	Negative	9124076002	Sareikela,Lahunipara
17	Cov/321690	2137301515461	Tattwadarshi Rana	26	M	Nasal Swab	27.04.2023	Negative	7978768014	Bonai,Bonai
18	Cov/321691	2137301515342	Sita Kisan	40	F	Nasal Swab	27.04.2023	Negative	8895269421	Sibanathpur Bolang
19	Cov/321692	2137301515349	Jamuna Oram	30	F	Nasal Swab	27.04.2023	Negative	8895269421	Sibanathpur Bolang
20	Cov/321693	2137301515356	Pritam Patra	13	M	Nasal Swab	27.04.2023	Negative	8480406672	Babunuagoin Bonai
21	Cov/321694	2137301515387	Mamata Kisan	21	F	Nasal Swab	27.04.2023	Negative	7008237319	Bijadihi Bolang

22	Cov/321695	2137301515395	Bhagabata Barik	72	M	Nasal Swab	27.04.2023	Negative	7077142961	Sarsara Bolang
23	Cov/321696	2137301515401	Budhadev Kisan	35	M	Nasal Swab	27.04.2023	Negative	9556032419	Sarsara Bolang
24	Cov/321697	2137301515408	Fulmani Munda	18	F	Nasal Swab	27.04.2023	Negative	9022456913	Chandarpur Bolang
25	Cov/321699	2137301515426	Kamla Bhainsa	55	F	Nasal Swab	27.04.2023	Negative	7855084228	Sarsara Bolang
26	Cov/321700	2137301515441	Santi Hembram	43	F	Nasal Swab	27.04.2023	Negative	8895239643	Dalki Niktimal

Prepared by:



Hemanti Sabar

Checked and Approved by:



Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

