



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	27.06.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	26.06.2022; 09:00 A.M.
Date & Time of receipt of specimen	27.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/278577	2137301305931	Kalabati Sahoo	50	F	Nasal Swab	27.06.2022	Negative	6371577970	Bagdega, Bisra
02	Cov/278578	2137301305932	Sonia Lugun	60	M	Nasal Swab	27.06.2022	Negative	7848934868	Karkta Nasha Tisco
03	Cov/278579	2137301305933	Naina Devi	70	F	Nasal Swab	27.06.2022	Negative	8093761204	M S Colony Rajgangpur
04	Cov/278580	2137301305934	Sankar Oram	38	M	Nasal Swab	27.06.2022	Negative	6371659432	Bhalulata, Bisra
05	Cov/278581	2137301305935	Payal Sharma	48	F	Nasal Swab	27.06.2022	Negative	7684996857	Vedvyas, Rourkela
06	Cov/278582	2137301305936	Hindu Munda	33	M	Nasal Swab	27.06.2022	Negative	9668194935	Bakortoda K Bolang
07	Cov/278583	2137301305937	Abdullah Rafiq Safia	28	M	Nasal Swab	27.06.2022	Negative	6372904360	Nit Campus, Rourkela
08	Cov/278584	2137301305938	Advait Poddar	9	M	Nasal Swab	27.06.2022	Negative	9437961605	Civil Township, Rourkela
09	Cov/278585	2137301305939	Sohina Poddar	35	F	Nasal Swab	27.06.2022	Negative	9437961605	Civil Township, Rourkela
10	Cov/278586	2137301305940	Gourav Poddar	39	M	Nasal Swab	27.06.2022	Negative	9437961605	Civil Township, Rourkela
11	Cov/278587	2137301305941	Anay Poddar	5	M	Nasal Swab	27.06.2022	Negative	9437961605	Civil Township, Rourkela
12	Cov/278589	2137301305943	Sonali Gochhayat	25	F	Nasal Swab	27.06.2022	Negative	6372050565	RGH Staff, Rourkela
13	Cov/278590	2137301305944	Asish Kumar Jena	22	M	Nasal Swab	27.06.2022	Negative	8117056374	RGH Staff, Rourkela
14	Cov/278591	2137301305945	Sukra Nag	65	M	Nasal Swab	27.06.2022	Negative	9124139504	Sector-16,PH Colony, Rourkela

Prepared by:

Checked and Approved by:

Krishna

Dr. Ashit Bhusan Xess

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशीत भुषन खेस  
Dr. ASHIT DHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

***Interpretation guidance:-***

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*