



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	27.07.2021; 07:45 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	27.07.2021; 01:30 P.M.
Date & Time of receipt of specimen	27.07.2021; 02:15 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/109422	Swarna Lata Bala	70	F	Nasal Swab	27.07.2021	Negative	9777907080	RGH OPD ROURKELA
02	Cov/109423	Ish Kumar	58	M	Nasal Swab	27.07.2021	Negative	9437043867	RGH OPD ROURKELA
03	Cov/109424	Sachit Anand	21	M	Nasal Swab	27.07.2021	Negative	8327701139	RGH OPD ROURKELA
04	Cov/109425	Sita Samasi	45	F	Nasal Swab	27.07.2021	Negative	9556039565	RGH IPD ROURKELA
05	Cov/109426	Swastik Kamar	11 Mon	M	Nasal Swab	27.07.2021	Negative	6370947996	RGH OPD ROURKELA
06	Cov/109427	Helen Ekka	52	F	Nasal Swab	27.07.2021	Negative	8457593264	RGH IPD ROURKELA
07	Cov/109428	Somari Sahoo	60	F	Nasal Swab	27.07.2021	Negative	8018376936	RGH IPD ROURKELA
08	Cov/109429	Md. Isad	50	M	Nasal Swab	27.07.2021	Negative	8984906658	RGH IPD ROURKELA
09	Cov/109430	Pooja Khandayat	51	F	Nasal Swab	27.07.2021	Negative	8917491932	RGH IPD ROURKELA
10	Cov/109431	Arjun Kachhab	65	M	Nasal Swab	27.07.2021	Negative	9113309034	RGH IPD ROURKELA
11	Cov/109432	Malabati Tanty	55	F	Nasal Swab	27.07.2021	Negative	8018573926	RGH IPD ROURKELA
12	Cov/109433	Baju Ganju	48	M	Nasal Swab	27.07.2021	Negative	6201704233	RGH IPD ROURKELA
13	Cov/109434	Debanand Masant	47	M	Nasal Swab	27.07.2021	Negative	8328849412	RGH IPD ROURKELA
14	Cov/109435	Ganga Lakhu	30	F	Nasal Swab	27.07.2021	Negative	7855942338	RGH IPD ROURKELA
15	Cov/109436	Sukar Badaik	60	M	Nasal Swab	27.07.2021	Negative	9114430861	RGH IPD ROURKELA
16	Cov/109437	Shakti Pada Sau	90	M	Nasal Swab	27.07.2021	Negative	8637264164	RGH IPD ROURKELA
17	Cov/109438	Sanju Karmakar	33	F	Nasal Swab	27.07.2021	Negative	7752038983	RGH IPD ROURKELA
18	Cov/109439	Baby Khatoon	24	F	Nasal Swab	27.07.2021	Negative	8249957073	RGH IPD ROURKELA
19	Cov/109440	Reshma Begum	45	F	Nasal Swab	27.07.2021	Negative	8249168128	RGH IPD ROURKELA

20	Cov/109441	Anita Oram	22	F	Nasal Swab	27.07.2021	Negative	8260437672	RGH IPD ROURKELA
21	Cov/109442	Premasila Kerketta	65	F	Nasal Swab	27.07.2021	Negative	9556486957	RGH IPD ROURKELA
22	Cov/109443	Purnima Dansana	65	F	Nasal Swab	27.07.2021	Negative	6305983379	RGH IPD ROURKELA
23	Cov/109444	Mani Munda	50	F	Nasal Swab	27.07.2021	Negative	7854906727	RGH IPD ROURKELA
24	Cov/109445	Sujata Dang	40	F	Nasal Swab	27.07.2021	Negative	7894867763	RGH IPD ROURKELA
25	Cov/109446	Vikash Mahato	29	M	Nasal Swab	27.07.2021	Negative	9777712342	RGH OPD ROURKELA
26	Cov/109447	Shilpa Rajak	29	F	Nasal Swab	27.07.2021	Negative	7008493300	RGH OPD ROURKELA
27	Cov/109448	Afsari Khatoon	51	F	Sample Not Received			9178804735	RGH OPD ROURKELA
28	Cov/109449	Bharati Kara	54	F	Nasal Swab	27.07.2021	Negative	9938303274	RGH IPD ROURKELA

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR