



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	27.09.2021; 08:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	25.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	27.09.2021; 09:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/151716	Daniyal Siddiqui	20	M	Nasal Swab	27.09.2021	Negative	9337095846	Sector 15 Rourkela
2	Cov/151717	Jrfan Ansari	14	M	Nasal Swab	27.09.2021	Negative	9337095846	Sector 15 Rourkela
3	Cov/151990	Susanti Munda	15	F	Nasal Swab	27.09.2021	Negative	7657062560	Dengula High School,Koida
4	Cov/151991	Pandaba Dangua	14	M	Nasal Swab	27.09.2021	Negative	7656831271	Dengula High School,Koida
5	Cov/151992	Dactor Dangua	14	M	Nasal Swab	27.09.2021	Negative	7656831271	Dengula High School,Koida
6	Cov/151993	Mahendra Munda	14	M	Nasal Swab	27.09.2021	Negative	7656946927	Dengula High School,Koida
7	Cov/151994	Bijay Munda	14	M	Nasal Swab	27.09.2021	Negative	7077322113	Dengula High School,Koida
8	Cov/151995	Victor Munda	15	M	Nasal Swab	27.09.2021	Negative	9439850994	Dengula High School,Koida
9	Cov/151996	Ranjit Munda	15	M	Nasal Swab	27.09.2021	Negative	7847049347	Dengula High School,Koida
10	Cov/151997	Suraj Dehury	15	M	Nasal Swab	27.09.2021	Negative	8018624489	Dengula High School,Koida
11	Cov/151998	Rohit Naik	15	M	Nasal Swab	27.09.2021	Negative	8280692202	Dengula High School,Koida
12	Cov/151999	Bhaleswar Naik	14	M	Nasal Swab	27.09.2021	Negative	8895633244	Dengula High School,Koida

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*