



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	27.12.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	26.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	27.12.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/316076	2137301474206	Puja Mandal	24	F	Nasal Swab	27.12.2022	Negative	7873322071	Malgodam RKL
2	Cov/316077	2137301474209	Dilip Kumar Samal	42	M	Nasal Swab	27.12.2022	Negative	7978316996	Chhend RKL
3	Cov/316078	2137301474211	Shiv Kumar Paswan	42	M	Nasal Swab	27.12.2022	Negative	9040718826	Gopabandhu Palli RKL
4	Cov/316079	2137301474215	Sonam Kumari	13	F	Nasal Swab	27.12.2022	Negative	7352358175	Railway Colony RKL
5	Cov/316080	2137301474217	Khusboo Kumari Paswan	14	F	Nasal Swab	27.12.2022	Negative	8658956117	Railway Colony RKL
6	Cov/316081	2137301474221	Babita Das	34	F	Nasal Swab	27.12.2022	Negative	7855866806	Sector 6 Mandal Basti RKL
7	Cov/316082	2137301474224	Radhi Kishan	43	F	Nasal Swab	27.12.2022	Negative	6370097808	Khata Tangar SNG
8	Cov/316083	2137301474230	Seema Devi Hansda	37	F	Nasal Swab	27.12.2022	Negative	8763541720	Panposh RKL
9	Cov/316084	2137301474234	Basanti Tanty	54	F	Nasal Swab	27.12.2022	Negative	8260064328	Jhirpani RKL
10	Cov/316085	2137301474241	Gandla Ekka	47	M	Nasal Swab	27.12.2022	Negative	6371191508	Manko Lathikata RKL
11	Cov/316086	2137301474243	Smruti Ranjan Choudhary	42	M	Nasal Swab	27.12.2022	Negative	9777024456	Tarkera Colony RKL
12	Cov/316087	2137301474248	Nirupama Prusti	40	F	Nasal Swab	27.12.2022	Negative	9040271269	Basanti Colony RKL
13	Cov/316088	2137301474249	Divya Sukla	17	F	Nasal Swab	27.12.2022	Negative	9437448985	SOS Chhend RKL
14	Cov/316089	2137301474293	Karma Patra	23	M	Nasal Swab	27.12.2022	Negative	7854857760	Civil Township RKL
15	Cov/316090	2137301474295	Muni Sah	45	F	Nasal Swab	27.12.2022	Negative	8917444036	Baidyanath Pur Hatibari SNG
16	Cov/316091	2137301474298	Sanjeeb Ranjan Sinha	47	M	Nasal Swab	27.12.2022	Negative	8630021411	Chhend RKL
17	Cov/316092	2137301474299	Samir Nayak	20	M	Nasal Swab	27.12.2022	Negative	7326871631	Birjapalli RKL
18	Cov/316093	2137301474303	Rohit Kansari	21	M	Nasal Swab	27.12.2022	Negative	7327025575	Gadhatoli RKL
19	Cov/316094	2137301474306	Raj Kumar Patra	50	M	Nasal Swab	27.12.2022	Negative	9040312689	Basanti Colony RKL
20	Cov/316095	2137301474311	Priti Rani Rout	36	F	Nasal Swab	27.12.2022	Negative	9861009823	Sector 21 RKL
21	Cov/316096	2137301474314	Saro Tamudia	38	F	Nasal Swab	27.12.2022	Negative	9556902935	Nayabazar RKL

22	Cov/316097	2137301474319	Urmila Goud	20	F	Nasal Swab	27.12.2022	Negative	8018343272	Kuarmunda Indrapur SNG
23	Cov/316098	2137301474359	Maheswar Sahoo	63	M	Nasal Swab	27.12.2022	Negative	9348541833	Sec B Bondamunda RKL
24	Cov/316099	2137301474457	Sekh Sahid	27	M	Nasal Swab	27.12.2022	Negative	8984277702	Koel Bank Panposh RKL
25	Cov/316100	2137301474461	Sushant Barik	32	M	Nasal Swab	27.12.2022	Negative	8118085619	Gangadhar Palli RKL

Prepared by:




Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:



Dr. Rajeev Kr Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela