



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	28.01.2022; 07:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	28.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	28.01.2022; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/240088	2137301129227	Mukut Soreng	34	M	Nasal Swab	28.01.2022	Negative	6372710938	Check Gate Deogan Rourkela
2	Cov/240089	2137301129248	Soniya Dhanwar	30	F	Nasal Swab	28.01.2022	Negative	9692164919	Birmitrapur Sundargarh
3	Cov/240090	2137301129253	Anju Bhawn	22	F	Nasal Swab	28.01.2022	Negative	8018496637	Hanuman Mandir Basanti Colony Rourkela
4	Cov/240092	2137301129272	Bobi Bivar	70	F	Nasal Swab	28.01.2022	Negative	9348388016	Q No-C/21 Sector-3 Rourkela
5	Cov/240093	2137301129280	Nisha Badaik	26	F	Nasal Swab	28.01.2022	Negative	9938112069	M S Palli Rourkela
6	Cov/240094	2137301129388	Awadh Kishore Patok	60	M	Nasal Swab	28.01.2022	Negative	8260222390	Champagar Bondamunda Sundargarh
7	Cov/240095	2137301129429	Joseph Majhi	75	M	Nasal Swab	28.01.2022	Negative	7327987687	Dandiapali Sundargarh
8	Cov/240096	2137301129437	Motilal Majhi	23	M	Nasal Swab	28.01.2022	Negative	7205196792	Gopalpur Sundargarh
9	Cov/240097	2137301129451	Sivli Kachhap	40	M	Nasal Swab	28.01.2022	Negative	8480772322	Manoharpur Sundargarh
10	Cov/240098	2137301130795	Shymali Swain	41	F	Nasal Swab	28.01.2022	Negative	9906398524	Cl/4 Basanti Colony Rourkela
11	Cov/240099	2137301130807	Biswajit Swain	42	M	Nasal Swab	28.01.2022	Negative	9906398524	Cl/4 Basanti Colony Rourkela
12	Cov/240100	2137301130888	Anshul Swain	14	M	Nasal Swab	28.01.2022	Negative	9906398524	Cl/4 Basanti Colony Rourkela
13	Cov/240101	2137301130477	Somya Ranjan Garnaik	38	M	Nasal Swab	28.01.2022	Negative	9040545987	RGH IPD Rourkela
14	Cov/240102	2137301130493	Bisra Toppo	19	M	Nasal Swab	28.01.2022	Negative	6371544129	RGH IPD Rourkela
15	Cov/240103	2137301130507	Ashok Kumar Mahato	25	M	Nasal Swab	28.01.2022	Negative	6372228615	RGH IPD Rourkela
16	Cov/240104	2137301130528	Aju Naik	23	M	Nasal Swab	28.01.2022	Negative	6370156623	RGH IPD Rourkela
17	Cov/240105	2137301130552	Birsu Bhakta	20	M	Nasal Swab	28.01.2022	Negative	8260672829	RGH IPD Rourkela
18	Cov/240106	2137301130563	Emanuel Bading	70	M	Nasal Swab	28.01.2022	Negative	9658150691	RGH IPD Rourkela
19	Cov/240107	2137301130577	Samina Bibi	40	M	Nasal Swab	28.01.2022	Negative	9040713901	RGH IPD Rourkela
20	Cov/240108	2137301130585	Gunidi Oram	60	F	Nasal Swab	28.01.2022	Negative	8455928968	RGH IPD Rourkela
21	Cov/240109	2137301130592	Koili Ekka	60	F	Nasal Swab	28.01.2022	Negative	7894156134	RGH IPD Rourkela
22	Cov/240110	2137301130607	Jamuna Majhi	60	F	Nasal Swab	28.01.2022	Negative	7853055264	RGH IPD Rourkela

23	Cov/240111	2137301130612	Sasmita Das	28	F	Nasal Swab	28.01.2022	Negative	6371889885	RGH IPD Rourkela
24	Cov/240112	2137301130625	Arati Mohapatra	60	F	Nasal Swab	28.01.2022	Negative	8763292510	RGH IPD Rourkela
25	Cov/240113	2137301130922	Dr Meena Patel	63	F	Nasal Swab	28.01.2022	Negative	8895501218	RGH Staff Rourkela
26	Cov/240114	2137301131001	Nikhil Ranjan Samal	47	M	Nasal Swab	28.01.2022	Negative	8917415722	L-69 Phase-1 Chhend Rourkela

Prepared by:




Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*

