



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	28.01.2021; 4:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	26.01.2021; 09:00 A.M.
Date & Time of receipt of specimen	27.01.2021; 10:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/239160	2137301124981	Sudhansu Sekhar Kundu	37	M	Nasal Swab	28.01.2022	Negative	8018778054	RGH IPD RKL
2	Cov/239161	2137301124984	Akshay Kumar Swain	58	M	Nasal Swab	28.01.2022	Negative	8249837731	RGH IPD RKL
3	Cov/239162	2137301124989	Anita Oram	44	F	Nasal Swab	28.01.2022	Negative	8260688047	RGH IPD RKL
4	Cov/239163	2137301124992	Sorifa Sethy	17	F	Nasal Swab	28.01.2022	Negative	8260452304	RGH IPD RKL
5	Cov/239164	2137301124995	Bhutlu Kishan	65	M	Nasal Swab	28.01.2022	Negative	7735798791	RGH IPD RKL
6	Cov/239165	2137301124997	Abhinash Bhumij	12	M	Nasal Swab	28.01.2022	Negative	8763875881	RGH IPD RKL
7	Cov/239166	2137301124999	Nirakant Kumbhar	25	M	Nasal Swab	28.01.2022	Negative	9341671840	RGH IPD RKL
8	Cov/239167	2137301125001	Bidyadhar Kumbhar	53	M	Nasal Swab	28.01.2022	Negative	8235408563	RGH IPD RKL
9	Cov/239168	2137301125003	Cheti Bai	50	F	Nasal Swab	28.01.2022	Negative	9777996144	RGH IPD RKL
10	Cov/239169	2137301125005	Sukhdev Mohanta	70	M	Nasal Swab	28.01.2022	Negative	7761844281	RGH IPD RKL
11	Cov/239170	2137301125009	Ajay Yadav	25	M	Nasal Swab	28.01.2022	Negative	9090354048	RGH IPD RKL
12	Cov/239171	2137301125012	Kumar Samal	70	M	Nasal Swab	28.01.2022	Negative	9658052005	RGH IPD RKL
13	Cov/239172	2137301125015	Sita Devi	70	F	Nasal Swab	28.01.2022	Negative	6370195997	RGH IPD RKL
14	Cov/239173	2137301125019	Sunufhul Tanty	75	F	Nasal Swab	28.01.2022	Negative	7008241014	RGH IPD RKL
15	Cov/239174	2137301125022	Gurubari Kishan	60	F	Nasal Swab	28.01.2022	Negative	8280616402	RGH IPD RKL
16	Cov/239175	2137301125025	Manimala Chakraborty	65	F	Nasal Swab	28.01.2022	Negative	9040339950	RGH IPD RKL
17	Cov/239176	2137301125111	Reshab Ku Biswal	26	F	Nasal Swab	28.01.2022	Negative	7008141214	B Colony RKL SNG
18	Cov/239177	2137301125038	Shree Ram Jyoti Dash	30	M	Nasal Swab	28.01.2022	Negative	9437407294	Contractor Colony RKL
19	Cov/239178	2137301125046	Saswati Samantaray	30	F	Nasal Swab	28.01.2022	Negative	9437407294	Contractor Colony RKL
20	Cov/239179	2137301125051	Tanjimarm Begum	27	F	Nasal Swab	28.01.2022	Negative	6370344770	H/390 Sector 15 RKL
21	Cov/239180	2137301125057	Patxi Xabier Yeregui	62	M	Nasal Swab	28.01.2022	Negative	8917625908	Hotel Deepti Ring Road RKL
22	Cov/239181	2137301125059	Sidhendra Rath	53	M	Nasal Swab	28.01.2022	Negative	9861095339	Higad 04 Chhend Colony RKL

23	Cov/239182	2137301125065	Supriya Panda	27	F	Nasal Swab	28.01.2022	Negative	8984468883	A4/01 Civil Township RKL SNG
----	------------	---------------	---------------	----	---	------------	------------	----------	------------	------------------------------

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR