



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	28.01.2023; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	27.01.2023; 09:00 A.M.
Date & Time of receipt of specimen	28.01.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/317239	2137301484390	Ashren Ekka	57	F	Nasal Swab	28.01.2023	Negative	9438557342	Bondamunda RKL
2	Cov/317240	2137301484391	Clostica Dungdung	60	F	Nasal Swab	28.01.2023	Negative	9439675665	Tagrain Birmitrapur
3	Cov/317241	2137301484392	Imran Alam	60	F	Nasal Swab	28.01.2023	Negative	7205274590	Anand Bhawan Line RKL
4	Cov/317242	2137301484394	Rabindra Mallick	70	M	Nasal Swab	28.01.2023	Negative	8763916944	Ambedkar Nagar Basanti Colony
5	Cov/317243	2137301484396	Akhilesh Mandal	51	M	Nasal Swab	28.01.2023	Negative	7479026233	Manoharpur Jharkhand
6	Cov/317244	2137301484398	Subhashree Mishra	24	F	Nasal Swab	28.01.2023	Negative	9776493213	Vedvyas Rourkela
7	Cov/317245	2137301484400	Milan Mahananda	22	M	Nasal Swab	28.01.2023	Negative	7609896836	Sector 6 Rourkela
8	Cov/317246	2137301484402	Ashok Mahato	23	M	Nasal Swab	28.01.2023	Negative	9556140737	Lahunipada Sng
9	Cov/317247	2137301484404	Akash Surin	24	M	Nasal Swab	28.01.2023	Negative	7008176760	Civiltownship RKL
10	Cov/317248	2137301484407	Nisha Jha	13	F	Nasal Swab	28.01.2023	Negative	8144029117	Vedvyas Rourkela
11	Cov/317249	2137301484410	Tushar Minz	14	M	Nasal Swab	28.01.2023	Negative	6371733171	Luakera Rourkela
12	Cov/317250	2137301484411	Sweety Malwar	21	F	Nasal Swab	28.01.2023	Negative	7890243895	R N Palli Rourkela
13	Cov/317251	2137301484412	Deepak Mahali	24	M	Nasal Swab	28.01.2023	Negative	8144208095	Badgaon Sundargarh
14	Cov/317252	2137301484413	Sabitri Mahakud	52	F	Nasal Swab	28.01.2023	Negative	8249358622	Rajgangpur It Colony
15	Cov/317253	2137301484414	Bablu Kanmar	20	M	Nasal Swab	28.01.2023	Negative	9348043094	Chhend Colony RKL
16	Cov/317254	2137301484415	Masi Prakash	24	M	Nasal Swab	28.01.2023	Negative	7847089743	K Balang RKL
17	Cov/317255	2137301484416	Jinnat Parween	37	F	Nasal Swab	28.01.2023	Negative	9090472511	Plant Site Rourkela
18	Cov/317256	2137301484417	Md Etaz	20	M	Nasal Swab	28.01.2023	Negative	9378302634	Bisra Rourkela
19	Cov/317257	2137301484419	Ghanashyam Swain	22	M	Nasal Swab	28.01.2023	Negative	7852967649	Hockey Stadium
20	Cov/317258	2137301484420	Pruthibijit Barik	21	M	Nasal Swab	28.01.2023	Negative	7894150665	Hockey Stadium
21	Cov/317259	2137301484421	Parbati Devi	56	F	Nasal Swab	28.01.2023	Negative	9178408669	Basanti Colony

22	Cov/317260	2137301484423	Pinku Nag	35	M	Nasal Swab	28.01.2023	Negative	8458067655	Kumbharkela Rgp
23	Cov/317261	2137301484424	Jagnandan Singh	68	M	Nasal Swab	28.01.2023	Negative	8480584360	Kumkela Chandiposh
24	Cov/317262	2137301484425	Anupama Das	45	F	Nasal Swab	28.01.2023	Negative	7684017501	Basanti Colony
25	Cov/317263	2137301484427	Ramesh Oram	27	M	Nasal Swab	28.01.2023	Negative	9178231443	Bhalulata RKL
26	Cov/317264	2137301484429	Shashi Kant	31	M	Nasal Swab	28.01.2023	Negative	9479034110	Crpf Rourkela
27	Cov/317265	2137301484431	Sushil Xess	41	M	Nasal Swab	28.01.2023	Negative	9337586314	Tainsar RKL
28	Cov/317266	2137301484499	Sarat Chandra Parida	54	M	Nasal Swab	28.01.2023	Negative	9337647508	Railway Colony Bondamunda
29	Cov/317267	2137301484500	Magdali Munda	66	F	Nasal Swab	28.01.2023	Negative	8280452143	R S Colony Bondamunda
30	Cov/317268	2137301484498	Basanti Kandi	43	F	Nasal Swab	28.01.2023	Negative	7377476711	G D Palli Rourkela
31	Cov/317269	2137301484507	Gurubachan Kaur	63	F	Nasal Swab	28.01.2023	Negative	9861248148	Daily Market RKL

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR