



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	28.03.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	27.03.2022; 09:00 A.M.
Date & Time of receipt of specimen	28.03.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/267057	2137301250999	Bilash Lata Dungdung	41	F	Nasal Swab	28.03.2022	Negative	7749814013	Badakila Kutra SNG
02	Cov/267058	2137301251000	Malati Devi	60	F	Nasal Swab	28.03.2022	Negative	7854812823	Malgodam, Rourkela
03	Cov/267059	2137301251002	Biren Gudia	40	M	Nasal Swab	28.03.2022	Negative	9937160040	SES Colony Birmitrapur SNG
04	Cov/267060	2137301251003	Pravashini	45	F	Nasal Swab	28.03.2022	Negative	8847832102	Paida Patuli Koida SNG
05	Cov/267061	2137301251005	Bijaya Kumar Behera	48	M	Nasal Swab	28.03.2022	Negative	9040718878	Ispat ITI Dalposh Jabaghat, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR