

Test Report


Date and time of reporting (dd/mm/yyyy) : 12 hour format	28/04/2021
Address of the referring facility/Hospital	CDM & PHO, ROURKELA
SPECIMEN DETAILS	
Date & Time of receipt of specimen at State VRDL, SCBMCH (dd/mm/yyyy)	27/04/2021
Condition of specimen received / Quality on arrival	Under cold chain
REPORTING DETAILS	

SL NO	Sample ID	Patient Name	Age	Gender	Specimen Type	Date of sample testing	Result 2019-nCoV RT PCR
1	nCoV7L72733	SUDESH RANI CHAWLA	72	F	NPS/TS	28.04.2021	NEGATIVE
2	nCoV7L72734	VICKY CHAWALA	42	M	NPS/TS	28.04.2021	NEGATIVE
3	nCoV7L72735	RANJU MALIK	49	F	NPS/TS	28.04.2021	NEGATIVE
4	nCoV7L72736	NAVEEN CHAWLA	50	M	NPS/TS	28.04.2021	NEGATIVE
5	nCoV7L72737	NISHA CHAWLA	38	F	NPS/TS	28.04.2021	NEGATIVE
6	nCoV7L72738	SUSANI JOJO	16	F	NPS/TS	28.04.2021	NEGATIVE
7	nCoV7L72763	JITENDRA DAS	47	M	NPS/TS	28.04.2021	NEGATIVE
8	nCoV7L72764	SANJUKTA KANTHIA	48	F	NPS/TS	28.04.2021	NEGATIVE
9	nCoV7L72765	SAURAB KUMAR KANTHIA	25	M	NPS/TS	28.04.2021	NEGATIVE
10	nCoV7L72766	BIJAY KUMAR	45	M	NPS/TS	28.04.2021	NEGATIVE
11	nCoV7L72767	RADHASYAM MAHAPATRA	56	M	NPS/TS	28.04.2021	NEGATIVE
12	nCoV7L72768	PANKAJ KUMAR SINGH	45	M	NPS/TS	28.04.2021	NEGATIVE
13	nCoV7L72769	SANI KUMAR BAGHA	31	M	NPS/TS	28.04.2021	NEGATIVE
14	nCoV7L72770	ANIL KUMAR NAYAK	33	M	NPS/TS	28.04.2021	NEGATIVE
15	nCoV7L72771	TANTA MALI	50	F	NPS/TS	28.04.2021	NEGATIVE
16	nCoV7L72773	MANAS RANJAN	54	M	NPS/TS	28.04.2021	NEGATIVE
17	nCoV7L72774	MANJU SINGH	53	F	NPS/TS	28.04.2021	NEGATIVE
18	nCoV7L72811	SUKHNATH ORAM	22	M	NPS/TS	28.04.2021	NEGATIVE
19	nCoV7L72813	SANTI ORAM	17	F	NPS/TS	28.04.2021	NEGATIVE

Checked and Approved by


Dr. Paresnath Mohanty
 MBBS, M.D.
 Consultant Microbiologist
 ATD & TC, Cuttack
 SCBMCH Campus


 Associate Professor
 Dept. of Biochemistry
 SCB Medical College, Cuttack


 Professor & Head
 Department of Microbiology
 S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentation or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

20	nCoV7L72814	NAURI ORAM	45	F	NPS/TS	28.04.2021	NEGATIVE
21	nCoV7L72815	MAHALI XALXO	50	F	NPS/TS	28.04.2021	NEGATIVE
22	nCoV7L72816	SOMBARI KUMBHAR	27	F	NPS/TS	28.04.2021	NEGATIVE
23	nCoV7L72817	TAHA KHAN	29	M	NPS/TS	28.04.2021	NEGATIVE
24	nCoV7L72818	SANJAYA TOPPO	43	M	NPS/TS	28.04.2021	NEGATIVE
25	nCoV7L72820	GARVI TOPPO	4	F	NPS/TS	28.04.2021	NEGATIVE
26	nCoV7L72821	SASMITA BHAGWAR	27	M	NPS/TS	28.04.2021	NEGATIVE
27	nCoV7L72822	UPENDRA MAHATO	32	M	NPS/TS	28.04.2021	NEGATIVE
28	nCoV7L72831	ANKIT PRASAD	20	M	NPS/TS	28.04.2021	NEGATIVE
29	nCoV7L72832	MEENA DEI	48	F	NPS/TS	28.04.2021	NEGATIVE
30	nCoV7L72833	RAJNI SINGH	41	F	NPS/TS	28.04.2021	NEGATIVE
31	nCoV7L72834	SUNITA KUMARI	22	F	NPS/TS	28.04.2021	NEGATIVE
32	nCoV7L72835	SANJEEV KUMAR TUDU	18	M	NPS/TS	28.04.2021	NEGATIVE
33	nCoV7L72836	KHATIRA LUGUN	21	F	NPS/TS	28.04.2021	NEGATIVE
34	nCoV7L72837	NIMI MUNDA	75	F	NPS/TS	28.04.2021	NEGATIVE
35	nCoV7L72838	DHIRAJ ARON KERALI	18	M	NPS/TS	28.04.2021	NEGATIVE
36	nCoV7L72839	BASMATI SINGH	35	F	NPS/TS	28.04.2021	NEGATIVE
37	nCoV7L72840	NIKESH CHANDRA TRIGUNAIT	61	M	NPS/TS	28.04.2021	NEGATIVE
38	nCoV7L72841	RAHUL KUMAR SAHOO	20	M	NPS/TS	28.04.2021	NEGATIVE
39	nCoV7L72842	RABI NARAYAN MAJHI	57	M	NPS/TS	28.04.2021	NEGATIVE
40	nCoV7L72843	ALESIUS	71	F	NPS/TS	28.04.2021	NEGATIVE
41	nCoV7L72844	WMARNATH PRASAD	35	M	NPS/TS	28.04.2021	NEGATIVE
42	nCoV7L72845	RASIKLAL MANDAL	52	M	NPS/TS	28.04.2021	NEGATIVE
43	nCoV7L72846	PRATAP TANTY	20	M	NPS/TS	28.04.2021	NEGATIVE
44	nCoV7L72848	SANJAY MAHALI	28	M	NPS/TS	28.04.2021	NEGATIVE
45	nCoV7L72850	BHOJINI MAHATO	65	F	NPS/TS	28.04.2021	NEGATIVE
46	nCoV7L72865	TRUPTIMAYEE PATRA	14	F	NPS/TS	28.04.2021	NEGATIVE
47	nCoV7L72866	PALA MUNDA	22	F	NPS/TS	28.04.2021	NEGATIVE
48	nCoV7L72868	JAYANTI PRADHAN	45	F	NPS/TS	28.04.2021	NEGATIVE
49	nCoV7L72869	PRABHAT KU NAIK	41	M	NPS/TS	28.04.2021	NEGATIVE
50	nCoV7L72872	NILA BHAIKAL	55	M	NPS/TS	28.04.2021	NEGATIVE
51	nCoV7L72875	ANITA KUJUR	27	M	NPS/TS	28.04.2021	NEGATIVE
52	nCoV7L72876	MD ALAM	12	M	NPS/TS	28.04.2021	NEGATIVE
53	nCoV7L73009	DEEPAK KUMAR MAHANTA	36	M	NPS/TS	28.04.2021	NEGATIVE

Checked and Approved by


Dr. Paresnath Mohanty
 MBBS, M.D.
 Consultant Microbiologist
 ATD & TC, Cuttack
 SCBMCH Campus


 Associate Professor
 Dept. of Biochemistry
 SCB Medical College, Cuttack


 Professor & Head
 Department of Microbiology
 S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentation or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune


Test Report

54	nCoV7L73010	SITA MAHANTA	51	F	NPS/TS	28.04.2021	NEGATIVE
55	nCoV7L73011	ASHOK MAHANTA	17	M	NPS/TS	28.04.2021	NEGATIVE
56	nCoV7L73013	KUBER MALLICK	32	M	NPS/TS	28.04.2021	NEGATIVE
57	nCoV7L73014	BIKASH KUMAR	28	M	NPS/TS	28.04.2021	NEGATIVE

Checked and Approved by


Dr. Pareshnath Mohanty
 MBBS, M.D.
 Consultant Microbiologist
 ATD & TC, Cuttack
 SCBMCH Campus


 Associate Professor
 Dept. of Biochemistry
 SCB Medical College, Cuttack


 Professor & Head
 Department of Microbiology
 S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune