



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**Covid-19 (RT-PCR) Test Report**

Date and time of reporting	28.04.2021; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	26.04.2021; 11:00 A.M.
Date & Time of receipt of specimen	26.04.2021; 09:30 A.M.
Condition of specimens received / Quality on	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/58474	RAHUL KUMAR PATEL	35	MALE	NASAL SWAB	28.04.2021	Negative
2	Cov/58475	AISHWARIA	34	FEMALE	NASAL SWAB	28.04.2021	Negative
3	Cov/58476	SARITA GADODIA	53	FEMALE	NASAL SWAB	28.04.2021	Negative
4	Cov/58477	ARATI	32	FEMALE	NASAL SWAB	28.04.2021	Negative
5	Cov/58478	FULMATI	40	FEMALE	NASAL SWAB	28.04.2021	Negative
6	Cov/58481	ARNNAPURNA PATRI	62	FEMALE	NASAL SWAB	28.04.2021	Negative
7	Cov/58487	MANOJ RATERIA	46	MALE	NASAL SWAB	28.04.2021	Negative

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशित भुषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.

- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*