



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	28.04.2023; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	27.04.2023; 01:30 P.M.
Date & Time of receipt of specimen	28.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	


Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/321760	2137301516431	Amit Xaxa	19	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
2	Cov/321761	2137301516436	Roshan Barla	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
3	Cov/321762	2137301516450	Rikesh Khadia	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
4	Cov/321763	2137301516457	Santanu Khadia	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
5	Cov/321764	2137301516466	Amit Minz	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
6	Cov/321765	2137301516472	Hemanta Banchur	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
7	Cov/321766	2137301516915	Chaitanya Apat	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
8	Cov/321767	2137301516481	Prem Suna	21	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
9	Cov/321768	2137301516485	Prakash Rajgandha	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
10	Cov/321769	2137301516495	Jebhiar Barla	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
11	Cov/321771	2137301516508	Deepak Munda	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
12	Cov/321772	2137301516510	Manoj Bhakta	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
13	Cov/321773	2137301516515	Jagan Kumar Mahato	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
14	Cov/321774	2137301516520	Mishra Naik	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
15	Cov/321775	2137301516524	Md Sahid	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
16	Cov/321776	2137301516528	Md Arman	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
17	Cov/321777	2137301516532	Deepak Swain	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
18	Cov/321779	2137301516538	Shrikant Nayak	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
19	Cov/321781	2137301516547	Khetrabasi Pradhan	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
20	Cov/321782	2137301516551	Tabla Munda	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
21	Cov/321783	2137301516554	Pramod Ku Das	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela

22	Cov/321784	2137301516556	Ajay Mahakud	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
23	Cov/321785	2137301516562	Ganesh Munda	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
24	Cov/321786	2137301516568	Kartik Mallar	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
25	Cov/321787	2137301516572	Govinda Munda	22	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
26	Cov/321788	2137301516574	Ghana Munda	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
27	Cov/321789	2137301516916	Narendra Kumar Mukhi	19	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
28	Cov/321790	2137301516579	Arjun Munda	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
29	Cov/321791	2137301516582	Pradeep Thakur	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
30	Cov/321792	2137301516586	Narendra Naik	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
31	Cov/321793	2137301516592	Bira Munda	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
32	Cov/321794	2137301516917	Dukhabandhu Soren	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
33	Cov/321795	2137301516601	Badal Kumar Mahanta	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
34	Cov/321797	2137301516610	Biswanath Munda	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
35	Cov/321798	2137301516613	Bapun Munda	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
36	Cov/321799	2137301516615	Bapun Behera	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
37	Cov/321800	2137301516618	Anubhab Behera	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
38	Cov/321801	2137301516623	Jogendra Behera	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
39	Cov/321802	2137301516645	Gurucharan Munda	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
40	Cov/321803	2137301516632	Gurban Saunta	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
41	Cov/321804	2137301516642	Sahan Soren Majhi	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
42	Cov/321805	2137301516649	Ankit Singh	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
43	Cov/321806	2137301516652	Narendra Barik	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
44	Cov/321807	2137301516655	Bicky Behera	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
45	Cov/321808	2137301516658	Gurudev Das	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
46	Cov/321809	2137301516660	Krupasindhu Nayak	23	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
47	Cov/321810	2137301516662	Rahul Khatua	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
48	Cov/321811	2137301516663	Balaram Patra	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
49	Cov/321812	2137301516665	Abhimanyu Pradhan	21	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
50	Cov/321813	2137301516667	Subrat Pradhan	19	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
51	Cov/321815	2137301516669	Ranjit Nahak	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
52	Cov/321816	2137301516670	Nahemiya Sabar	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
53	Cov/321817	2137301516671	Padala Durga Prasad	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
54	Cov/321818	2137301516918	Sanjay Behera	24	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
55	Cov/321819	2137301516674	Muna Nayak	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
56	Cov/321820	2137301516919	Hemanta Bindhani	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
57	Cov/321821	2137301516678	Chintu Dalabehera	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
58	Cov/321822	2137301516680	Alok Digal	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela

59	Cov/321823	2137301516681	Bikash Pradhan	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
60	Cov/321824	2137301516920	Sagar Pradhan	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
61	Cov/321825	2137301516686	Sunil Sahoo	21	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
62	Cov/321826	2137301516921	Rakesh Majhi	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
63	Cov/321827	2137301516691	Jugal Kishor Sahu	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
64	Cov/321828	2137301516692	Sukru Patel	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
65	Cov/321829	2137301516695	Pratap Sabar	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
66	Cov/321830	2137301516697	Suraj Bishi	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
67	Cov/321831	2137301516699	Subhankar Paramguru	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
68	Cov/321832	2137301516702	Chandrakanta	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
69	Cov/321833	2137301516704	Promod Bariha	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
70	Cov/321834	2137301516706	Gobinda Kumbhar	21	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
71	Cov/321835	2137301516709	Prabhat Dehury	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
72	Cov/321836	2137301516712	Dayanidhi Kanhar	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
73	Cov/321837	2137301516724	Arun Kanhar	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
74	Cov/321841	2137301516734	Tarash Soren	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
75	Cov/321842	2137301516738	Sidheswar Besra	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
76	Cov/321843	2137301516740	Bainsi Murmu	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
77	Cov/321844	2137301516743	Gobinda Purty	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
78	Cov/321845	2137301516745	Sajibur Sk	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
79	Cov/321846	2137301516747	Shyam Purty	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
80	Cov/321847	2137301516751	Sania Dehury	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
81	Cov/321848	2137301516753	Sangram Marandi	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
82	Cov/321849	2137301516756	Manoj Mohanty Singh	21	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
83	Cov/321850	2137301516760	Bharat Tiriya	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
84	Cov/321851	2137301516765	Dibakar Singh	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
85	Cov/321852	2137301516767	Kaira Naik	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
86	Cov/321853	2137301516771	Jagadish Lakra	24	M	Nasal Swab	28.04.2023	Negative	8117964229	Safety Rourkela Staff
87	Cov/321854	2137301516775	Saroj Kumar Sethi	19	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
88	Cov/321855	2137301516780	Harish Chandra Challan	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
89	Cov/321856	2137301516783	Rohit Majhi	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
90	Cov/321857	2137301516785	Pintu Sethy	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
91	Cov/321858	2137301516788	Amarendra Ghantayat	18	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
92	Cov/321859	2137301516791	Asish Bharasagar	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
93	Cov/321860	2137301516794	Gopinath Munda	16	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
94	Cov/321861	2137301516797	Rohan Meher	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
95	Cov/321862	2137301516800	Uttam Dehury	20	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela

96	Cov/321863	2137301516803	Bandhu Ekka	19	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
97	Cov/321864	2137301516805	Rahul Singh	17	M	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela
98	Cov/321865	2137301516808	Sonali Parija	30	F	Nasal Swab	28.04.2023	Negative	9090417017	Safety Rourkela Staff
99	Cov/321866	2137301516812	Gouri Panda	26	F	Nasal Swab	28.04.2023	Negative	8249201395	Safety Rourkela Staff
100	Cov/321867	2137301516815	Trithabashi Behera	28	M	Nasal Swab	28.04.2023	Negative	7008415268	Safety Rourkela Staff
101	Cov/321868	2137301516820	Binod Barik	25	M	Nasal Swab	28.04.2023	Negative	8339872153	Safety Rourkela Staff
102	Cov/321869	2137301516823	Sushant Kumar Gana	36	M	Nasal Swab	28.04.2023	Negative	6301968307	Safety Rourkela Staff
103	Cov/321870	2137301516827	Susit Kumar Nayak	28	M	Nasal Swab	28.04.2023	Negative	6371389683	Safety Rourkela Staff
104	Cov/321871	2137301516833	Subrat Kumar Barik	32	M	Nasal Swab	28.04.2023	Negative	8260962432	Safety Rourkela Syaff
105	Cov/321872	2137301516838	Prakash Kumar Dhupal	46	M	Nasal Swab	28.04.2023	Negative	7008263583	Safety Rourkela Staff
106	Cov/321873	2137301516840	Sushanta Kumar Pati	46	M	Nasal Swab	28.04.2023	Negative	9348905033	Safety Rourkela Staff

Prepared by:



Hemanti Sabar

Checked and Approved by:



Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

