



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	28.04.2023; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela, CHC, BIRKERA
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	27.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	28.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/321949	2137301515981	Bela Minz	70	M	Nasal Swab	28.04.2023	Negative	9040303605	Saliatola
02	Cov/321952	2137301516028	Silas Ekka	52	M	Nasal Swab	28.04.2023	Negative	9556165999	Arba Jharabahal
03	Cov/321953	2137301516387	Sanju Devi	38	F	Nasal Swab	28.04.2023	Negative	9348640023	Tainsar
04	Cov/321956	2137301516416	Sujit Kumar Bada	31	M	Nasal Swab	28.04.2023	Negative	9090251969	Gopadihi
05	Cov/321957	2137301516430	Sugan Oram	51	F	Nasal Swab	28.04.2023	Negative	8895861295	Dandiapali
06	Cov/321958	2137301516462	Dulari Ekka	30	F	Nasal Swab	28.04.2023	Negative	9777950562	Tainsar

Prepared by:

Hemanti

Hemanti Sabar

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Dr. Ashit Bhushan Xess

डा. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela