



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	28.05.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.05.2021; 09:00 A.M
Date & Time of receipt of specimen	28.05.2021; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/68117	Bharat Badaik	40	M	Nasal Swab	28.05.2021	Negative
2	Cov/68178	Sanjay Ku Jaiswal	40	M	Nasal Swab	28.05.2021	Negative
3	Cov/68179	Singrai Munda	50	M	Nasal Swab	28.05.2021	Negative
4	Cov/68180	Fagu Kachua	35	M	Nasal Swab	28.05.2021	Negative
5	Cov/68181	Abhiram Munda	33	M	Nasal Swab	28.05.2021	Negative
6	Cov/68182	Santosh Jajaria	46	M	Nasal Swab	28.05.2021	Negative
7	Cov/68183	Sanjay Kumar Behera	36	M	Nasal Swab	28.05.2021	Negative
8	Cov/68184	Pramod Kumar Singh	40	M	Nasal Swab	28.05.2021	Negative
9	Cov/68185	Ashok Kumar Sharma	60	M	Nasal Swab	28.05.2021	Negative
10	Cov/68186	Manjeet Kour	42	F	Nasal Swab	28.05.2021	Negative
11	Cov/68187	Sukra Tigga	61	M	Nasal Swab	28.05.2021	Negative
12	Cov/68188	Menu Kujur	55	F	Nasal Swab	28.05.2021	Negative
13	Cov/68189	Kaneswar Sharma	50	M	Nasal Swab	28.05.2021	Negative
14	Cov/68190	Rohidas Mohanta	55	M	Nasal Swab	28.05.2021	Negative
15	Cov/68191	Sujit Barla	35	M	Nasal Swab	28.05.2021	Negative
16	Cov/68192	Rozi Parween	17	F	Nasal Swab	28.05.2021	Negative
17	Cov/68193	Sanjita Jaipuria	41	F	Nasal Swab	28.05.2021	Negative
18	Cov/68194	Chanda Devi	34	F	Nasal Swab	28.05.2021	Negative

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*