



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	28.07.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	27.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	28.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/286993	2137301349134	Ramesh Chandra Barik	51	M	Nasal Swab	28.07.2022	Negative	9124572757	F/68 Front,Sector-1, Rourkela
02	Cov/286994	2137301349141	Suchitra Barik	42	F	Nasal Swab	28.07.2022	Negative	9124572757	F/68 Front,Sector-1, Rourkela
03	Cov/286995	2137301349145	Sunil Tandia	31	M	Nasal Swab	28.07.2022	Negative	7894889600	G Block Basti, Rourkela
04	Cov/286996	2137301349148	Rabindra Kumar Swain	57	M	Nasal Swab	28.07.2022	Negative	9438095524	D,168,Sector-1, Rourkela
05	Cov/286997	2137301349156	Kabita Swain	51	F	Nasal Swab	28.07.2022	Negative	9937072028	D,168,Sector-1, Rourkela
06	Cov/286998	2137301349131	Krishna Ch Gahir	26	M	Nasal Swab	28.07.2022	Negative	9938981706	Sundargarh

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशित भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR