



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	28.08.2021; 07:15 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	28.08.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/133201	Bapi Buda	17	M	Nasal Swab	28.08.2021	Negative	9337946370	Dalki Raiboga Sng
2	Cov/133202	Bikram Biswal	19	M	Nasal Swab	28.08.2021	Negative	8018009415	Kuarmunda Muslim Basti Sng
3	Cov/133203	Sunita Behera	20	F	Nasal Swab	28.08.2021	Negative	8455026771	Bangurkela Bonai Sng
4	Cov/133204	Padma Pattnaik	38	F	Nasal Swab	28.08.2021	Negative	9861074553	Idl Colony Kalimandir Rkl
5	Cov/133205	Prasana Kumar Sahu	50	M	Nasal Swab	28.08.2021	Negative	9438321110	Chhend Rourkela
6	Cov/133206	Subhendu Sekhar Dash	40	M	Nasal Swab	28.08.2021	Negative	9583720798	Rajgangpur Sng
7	Cov/133207	Arati Mohanti	68	F	Nasal Swab	28.08.2021	Negative	8908352996	D/3/1 Civil Township Rkl
8	Cov/133209	Sneha Mohanti	33	F	Nasal Swab	28.08.2021	Negative	8908352996	D-3/1 Civil Township Rkl
9	Cov/133210	Akash Jojo	28	M	Nasal Swab	28.08.2021	Negative	8908352996	D-3/1 Civil Township Rkl
10	Cov/133211	Laxmi Jayapuria	46	F	Nasal Swab	28.08.2021	Negative	8908352996	D-3/1 Civil Township Rkl
11	Cov/133212	Debadutta Nayak	18	M	Nasal Swab	28.08.2021	Negative	7855034580	Jj-2 Civil Township Rkl
12	Cov/133213	B Sujatha	43	F	Nasal Swab	28.08.2021	Negative	8098478918	Hig A-46 Chhend Colony Rkl
13	Cov/133214	Samul George	13	M	Nasal Swab	28.08.2021	Negative	8098478918	Hig A-46 Chhend Colony Rkl
14	Cov/133215	Sharon George	14	M	Nasal Swab	28.08.2021	Negative	8098478918	Hig A-46 Chhend Colony Rkl

15	Cov/133217	Md Shoib Alam	46	M	Nasal Swab	28.08.2021	Negative	9583328003	Rajgangpur Sng
16	Cov/133218	Chandrika Pradhan	38	F	Nasal Swab	28.08.2021	Negative	9437138224	M/46 Chhend Colony Rkl
17	Cov/133219	Smruti Ranjan Patel	22	M	Nasal Swab	28.08.2021	Negative	9040861531	Jharsuguda
18	Cov/133220	Sweta Aparna	21	F	Nasal Swab	28.08.2021	Negative	7377607411	Labour Tournament Rkl
19	Cov/133221	Bata Munda	47	M	Nasal Swab	28.08.2021	Negative	7735284091	RGH IPD RKL
20	Cov/133222	Bihari Khadia	45	F	Nasal Swab	28.08.2021	Negative	8805102480	RGH IPD RKL
21	Cov/133223	Deblal Paramanik	30	M	Nasal Swab	28.08.2021	Negative	7008269180	RGH IPD RKL
22	Cov/133224	Gangi Samal	57	F	Nasal Swab	28.08.2021	Negative	9937439862	RGH IPD RKL
23	Cov/133225	Puspa Samad	33	F	Nasal Swab	28.08.2021	Negative	8144726464	RGH IPD RKL
24	Cov/133226	Shyamji Bhyhar	66	M	Nasal Swab	28.08.2021	Negative	9178288023	RGH IPD RKL
25	Cov/133227	Jamuna Oram	65	F	Nasal Swab	28.08.2021	Negative	9777402042	RGH IPD RKL
26	Cov/133228	Subhashree Behera	18	F	Nasal Swab	28.08.2021	Negative	8260516941	RGH IPD RKL
27	Cov/133229	Bhukti Xalxo	50	F	Nasal Swab	28.08.2021	Negative	9361131449	RGH IPD RKL
28	Cov/133230	Krishna Yadav	65	M	Nasal Swab	28.08.2021	Negative	9937023769	RGH IPD RKL
29	Cov/133231	Russay Mahakud	26	M	Nasal Swab	28.08.2021	Negative	9337521088	RGH IPD RKL
30	Cov/133232	Ramdhari Kumbhar	52	M	Nasal Swab	28.08.2021	Negative	9938291243	RGH IPD RKL
31	Cov/133233	Rasmita Kumbhar	38	F	Nasal Swab	28.08.2021	Negative	8018230228	RGH IPD RKL
32	Cov/133234	Mahabir Kumbhar	26	M	Nasal Swab	28.08.2021	Negative	8260033812	RGH IPD RKL
33	Cov/133235	Prema Dungdung	25	F	Nasal Swab	28.08.2021	Negative	7077416882	RGH Staff Rourkela
34	Cov/133236	Mukti Madhuri Barla	27	F	Nasal Swab	28.08.2021	Negative	9861455752	RGH Staff Rourkela

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*